

The Complexity of Distributed Edge Coloring with Small Palettes*

Yi-Jun Chang Qizheng He Wenzheng Li
University of Michigan IIS, Tsinghua University IIS, Tsinghua University

Seth Pettie Jara Uitto
University of Michigan ETH Zürich and University of Freiburg

Abstract

The complexity of distributed edge coloring depends heavily on the *palette size* as a function of the maximum degree Δ . In this paper we explore the complexity of edge coloring in the LOCAL model in different palette size regimes. Our results are as follows.

- We simplify the *round elimination* technique of Brandt et al. [9] and prove that $(2\Delta - 2)$ -edge coloring requires $\Omega(\log_{\Delta} \log n)$ time w.h.p. and $\Omega(\log_{\Delta} n)$ time deterministically, *even on trees*. The simplified technique is based on two ideas: the notion of an *irregular running time* (in which network components terminate the algorithm at prescribed, but irregular times) and some general observations that transform *weak* lower bounds into *stronger* ones.
- We give a randomized edge coloring algorithm that can use palette sizes as small as $\Delta + \tilde{O}(\sqrt{\Delta})$, which is a natural barrier for randomized approaches. The running time of the algorithm is roughly $O(\log \Delta \cdot T_{LLL})$, where T_{LLL} is the complexity of a permissive version of the constructive Lovász local lemma.
- We develop a new distributed Lovász local lemma algorithm for *tree-structured dependency graphs*, which leads to a $(1 + \epsilon)\Delta$ -edge coloring algorithm for trees running in $O(\log \log n)$ time. This algorithm arises from two new results: a deterministic $O(\log n)$ -time LLL algorithm for tree-structured instances, and a randomized $O(\log \log n)$ -time *graph shattering* method for breaking the dependency graph into independent $O(\log n)$ -size LLL instances.
- A natural approach to computing $(\Delta + 1)$ -edge colorings (Vizing’s theorem) is to extend partial colorings by iteratively re-coloring parts of the graph, e.g., via “augmenting paths.” We prove that this approach may be viable, but in the worst case requires recoloring subgraphs of diameter $\Omega(\Delta \log n)$. This stands in contrast to distributed algorithms for Brooks’ theorem [37], which exploit the existence of $O(\log_{\Delta} n)$ -length augmenting paths.

*A preliminary version of this paper was presented at 29th Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2018, New Orleans, LA, USA, January 7–10, 2018. Supported by NSF grants CCF-1514383 and CCF-1637546 and ERC Grant No. 336495 (ACDC).

1 Introduction

A k -edge coloring of a graph $G = (V, E)$ is a function $\phi : E \rightarrow \{1, \dots, k\}$ such that edges sharing an endpoint are colored differently; the parameter k is called the *palette size*. In this paper, we study edge coloring problems in the well-known LOCAL model of distributed computation [33, 40]. The distributed complexity of computing a k -edge coloring depends heavily on the value of k , relative to the maximum degree Δ , and whether vertices can generate random bits.

The LOCAL Model. In the LOCAL model, the input graph $G = (V, E)$ is identical to the underlying distributed network; vertices are identified with processors and edges with bi-directional communication links; each $v \in V$ initially knows $\deg(v)$, a port-numbering of its incident edges, and global parameters such as $n = |V|$ and $\Delta = \max_v \deg(v)$; *time* is divided into synchronized rounds, and in each round each processor can perform unlimited computation and communicate an unbounded-length message to each of its neighbors, which is delivered before the next round. Depending on the problem the vertices may carry additional input labels. The output of a LOCAL algorithm is typically a labeling of V or E that satisfies some constraints.

For clarity we bifurcate the LOCAL model into RandLOCAL and DetLOCAL depending on whether random bits are available. In the RandLOCAL model the output labeling is correct w.h.p. (i.e., $1 - 1/\text{poly}(n)$). In the DetLOCAL model each vertex is assigned a unique $O(\log n)$ -bit ID; the output labeling must always be correct.

1.1 Edge Coloring Algorithms

In this section, we review previous edge coloring algorithms in descending order by palette size; see Table 1 for a summary.

Edge coloring can be interpreted as a *vertex* coloring problem on the *line graph* $L(G)$, in which edges become vertices and two edges are adjacent if they share an endpoint; the line graph has maximum degree $\hat{\Delta} = 2\Delta - 2$. Applied to $L(G)$, Linal’s [33] vertex coloring algorithm will compute an $O(\hat{\Delta}^2)$ -edge coloring in $O(\log^* n - \log^* \hat{\Delta} + 1)$ time. Using the fastest deterministic $(\hat{\Delta} + 1)$ -vertex coloring algorithms [38, 22], $(2\Delta - 1)$ -edge coloring is solved in $\min\{2^{O(\sqrt{\log n})}, \tilde{O}(\sqrt{\Delta}) + O(\log^* n)\}$ time. Barenboim, Elkin, and Maimon [6] gave deterministic algorithms for $(2^k \Delta)$ -edge coloring ($k \geq 2$) in $\tilde{O}(k\Delta^{1/2k}) + O(\log^* n)$ time.

Barenboim, Elkin, Pettie, and Schneider [7] proved that $O(\log \Delta)$ iterations of the natural randomized $(2\Delta - 1)$ -edge coloring algorithm effectively *shatters* the graph into uncolored components of $n' = \text{poly}(\log n)$ vertices; then we can employ a deterministic list coloring algorithm to color these components in $2^{O(\sqrt{\log n'})} = 2^{O(\sqrt{\log \log n})}$ time [38]. Thus, the total time complexity is $O(\log \Delta) + 2^{O(\sqrt{\log \log n})}$.

Elkin, Pettie, and Su [19] proved that when $\Delta > (\log n)^{1+\gamma}$ (for some constant γ), $(2\Delta - 1)$ -edge coloring can be solved in $O(\log^* n)$ time in RandLOCAL. Very recently Fischer, Ghaffari, and Kuhn proved that $(2\Delta - 1)$ -edge coloring can be solved in $O(\log^7 \Delta \log n)$ time in DetLOCAL. Together with [7] and [19], this implies a $\min\{O((\log \log n)^8), O(\log^7 \Delta \log \log n)\}$ -time RandLOCAL algorithm. Using a slightly larger palette of $(2 + \epsilon)\Delta$ colors, $\epsilon > 1/\log \Delta$, Ghaffari et al. [26] (improving [28]) gave an $O(\epsilon^{-1} \log^2 \Delta \log \log \Delta (\log \log \log \Delta)^{1.71} \log n)$ -time DetLOCAL edge coloring algorithm.

Below the Greedy Threshold. The number “ $2\Delta - 1$ ” arises because it is the *smallest* palette size with the property that any partial coloring can be extended to a total coloring, by the trivial greedy algorithm. Below the *greedy threshold* $2\Delta - 1$, iterative coloring algorithms must be more

careful in how they proceed. In particular, at intermediate stages in the algorithm, edges must keep their available palettes relatively large compared to the size of their uncolored neighborhood.

Using the *Rödl nibble* technique, Dubhashi, Grable, and Panconesi [16] gave a RandLOCAL algorithm for $(1 + \epsilon)\Delta$ -edge coloring in $O(\log n)$ time, provided that Δ is sufficiently large, e.g., even when ϵ is constant, $\Delta > (\log n)^{1+\gamma}$. Elkin, Pettie, and Su [19] gave RandLOCAL algorithms for $(1 + \epsilon)\Delta$ -edge coloring that are faster when Δ is large and work for *all* Δ via a reduction to the distributed Lovász local lemma (LLL); see Section 1.3 for a discussion of the distributed LLL. The $(1 + \epsilon)\Delta$ -edge coloring problem is solved in $O(\log^* n \cdot \lceil \frac{\log n}{\Delta^{1-o(1)}} \rceil)$ time. The running time of the Dubhashi-Grable-Panconesi and Elkin-Pettie-Su algorithms depend *polynomially* on ϵ^{-1} . In both algorithms it is clear that ϵ need not be constant, but it is not self-evident how small it can be made *as a function of Δ* .

The $\lceil \frac{\log n}{\Delta^{1-o(1)}} \rceil$ -factor in the time complexity is due to the application of the Chung-Pettie-Su LLL algorithm [12]. If Δ is sufficiently small, this algorithm can be sped up using faster LLL algorithms for small degree graphs [20, 25].

Limits to Coloring Strategies. A natural limit for randomized coloring strategies is a $(\Delta + O(\sqrt{\Delta}))$ -size palette. This is the threshold at which we have a constant probability of being able to color e , given a *random* feasible coloring of its neighborhood. Edge coloring with this palette size was achieved in 1987 by Karloff and Shmoys [31] in the context of parallel (PRAM) algorithms, but has never been achieved in the LOCAL model.

We cannot hope to use fewer than $\Delta + 1$ colors on general graphs. Vizing [42] proved that $\Delta + 1$ suffices for any graph, and Holyer [30] proved that it is NP-hard to tell if a graph is Δ -colorable. The best *sequential* $(\Delta + 1)$ -edge coloring algorithms [1, 23] run in $O(\min\{\Delta m \log n, m\sqrt{n \log n}\})$ time and are not suited for implementation in the LOCAL model. When the palette size is $\Delta + o(\sqrt{\Delta})$, a natural way to solve the problem [1, 23] is to begin with any maximal partial coloring, and then iteratively *recolor* portions of the graph (e.g., along “augmenting paths”) so that at least one uncolored edge can be legally colored. This approach was successfully employed by Panconesi and Srinivasan [37] in their distributed algorithm for Brooks’ theorem, which states that any graph with $\Delta \geq 3$ having no $(\Delta + 1)$ -cliques is Δ -vertex colorable. They proved that for any partial coloring, there exists an augmenting path with length $O(\log_{\Delta} n)$, and that given a $(\Delta + 1)$ -vertex coloring, a Δ -vertex coloring could be computed in $O(\log^2 n \log_{\Delta} n)$ additional time.

1.2 Lower Bounds

Linial’s $\Omega(\log^* n)$ lower bound for $O(1)$ -coloring the ring [33, 36] implies that $f(\Delta)$ -edge coloring also cannot be computed in $o(\log^* n)$ time, for any function f . To the best of our knowledge, none of the other published lower bounds applies directly to the edge coloring problem. Kuhn, Moscibroda, and Wattenhofer’s $\Omega(\min\{\frac{\log \Delta}{\log \log \Delta}, \sqrt{\frac{\log n}{\log \log n}}\})$ lower bounds apply to MIS and maximal matching, but not to any vertex or edge coloring problem. Linial’s $\Omega(\log_{\Delta} n)$ lower bound [33] (see [41, p. 265]) on $o(\Delta/\ln \Delta)$ -vertex coloring trees does not imply anything for edge coloring trees. The lower bounds of Brandt et al. [9] (RandLOCAL $\Omega(\log_{\Delta} \log n)$) and Chang, Kopelowitz, and Pettie [10] (DetLOCAL $\Omega(\log_{\Delta} n)$) for *sinkless orientation* and Δ -*vertex coloring trees* do not naturally generalize to edge coloring. In fact, Brandt et al.’s lower bound technique requires that the input graph be Δ -regular and *come equipped* with a Δ -edge coloring.

PALETTE SIZE	TIME	(Rand)	NOTES	REFERENCES
$f(\Delta)$	$\Omega(\log^* n)$	R	$\Delta = O(1)$	[33, 36]
$O(\Delta^2)$	$O(\log^* n - \log^* \Delta + 1)$	★	Vertex coloring $L(G)$	[33]
$\Delta^{1+\epsilon}$	$O(\log \Delta \log n)$		Vertex coloring $L(G)$	[4]
$O(\Delta \log n)$	$O(\log^4 n)$			[14]
$t(2\Delta - 2)$	$(\Delta/t)^{O(1)} \cdot O(\log n)$		Vertex coloring $L(G)$	[4]
$2^k \Delta$	$\tilde{O}(k\Delta^{1/2k}) + O(\log^* n)$	★	$k \geq 2$	[6, 28]
$(2 + \epsilon)\Delta$	$O(\epsilon^{-3} \log^{11} n)$			[28]
	$O(\epsilon^{-1} \log \Delta^{2+o(1)} \log n)$	★	$\epsilon > 1/\log \Delta$	[26]
$2\Delta - 1$	$2^{O(\sqrt{\log n})}$		Vertex coloring $L(G)$	[38]
	$\tilde{O}(\sqrt{\Delta}) + O(\log^* n)$	★	Vertex coloring $L(G)$	[22]
	$O(\log \Delta) + 2^{O(\sqrt{\log \log n})}$	R	Vertex coloring $L(G)$	[7]
	$O(\log^* n)$	R★	$\Delta > (\log n)^{1+o(1)}$	[19]
	$2^{O(\sqrt{\log \log n})}$	R		[19]
	$O(\log^7 \Delta \log n)$	★		[21]
	$O(\min\{(\log \log n)^8, \log^7 \Delta \log \log n\})$	R★		[7]+[19]+[21]
$2\Delta - 2$	$\Omega(\log_{\Delta} \log n)$	R		new
	$\Omega(\log_{\Delta} n)$			new
1.6Δ	$O(\log n)$	R	$\Delta > \log^{1+o(1)} n$	[39]
$(1 + \epsilon)\Delta$	$O(\epsilon^{-1} \log \epsilon^{-1} + \log n)$	R	$\Delta > (\log n)^{1+\gamma(\epsilon)}$	[16]
	$O\left(\left(\epsilon^{-2} \log \epsilon^{-1} + \log^* \Delta\right) \left\lceil \frac{\log n}{\epsilon^2 \Delta^{1-o(1)}} \right\rceil\right)$	R	$\Delta > \Delta_{\epsilon}$	[19]
	$O\left(\log \epsilon^{-1} \left\lceil \frac{\log n}{\epsilon^2 \Delta^{1-o(1)}} \right\rceil + \log^* n\right)$	R★	$\epsilon \Delta > (\log n)^{1+o(1)}$	new
	$O\left(\log \epsilon^{-1} \left\lceil \frac{\log n}{\epsilon^2 \Delta^{1-o(1)}} \right\rceil + (\log \log n)^{3+o(1)}\right)$	R★	$\Delta > \Delta_{\epsilon}$	new
$\Delta + \tilde{O}(\sqrt{\Delta})$	$O\left(\log \Delta \left\lceil \frac{\log n}{\epsilon^2 \Delta^{1-o(1)}} \right\rceil + (\log \log n)^{3+o(1)}\right)$	R★		new
$\Delta + 1$	$\text{diameter}(G)$	★		[42]

Table 1: A history of notable edge coloring algorithms and lower bounds, in descending order by palette size. Some $(2\Delta - 1)$ -edge coloring algorithms that follow from vertex coloring $L(G)$, such as [2, 32, 5, 3], have been omitted for brevity. RandLOCAL algorithms are marked with R; all others work in DetLOCAL. Those algorithms that are the “best” in any sense are marked with a ★.

CRITERION	TIME	Rand/Det	NOTES	REFERENCE
$ep(d+1) < 1$	$O(\text{MIS} \cdot \log_{1/ep(d+1)} n)$	Rand	also asymmetric criterion	[35]
	$O(\text{WeakMIS} \cdot \log_{1/ep(d+1)} n)$	Rand	also asymmetric criterion	[12]
	$O(\log d \cdot \log_{1/ep(d+1)} n)$	Rand	also asymmetric criterion	[24]+[12]
$epd^2 < 1$	$O(\log_{1/epd^2} n)$	Rand	also asymmetric criterion	[12]
$\text{poly}(d)2^d < 1$	$O(\log n / \log \log n)$	Rand		[12]
$p(ed)^\lambda < 1$	$O(n^{1/\lambda} \cdot 2^{O(\sqrt{\log n})})$	Det	Any $\lambda \geq 1$	[20]
$p(ed)^{4\lambda} < 1$	$O(d^2 + (\log n)^{1/\lambda} \cdot 2^{O(\sqrt{\log \log n})})$	Rand	Any $\lambda \geq 8$	[20]
$p(ed)^{32} < 1$	$2^{O(\sqrt{\log \log n})}$	Rand	Requires $d < (\log \log n)^{1/5}$	[20]
$p(20000d^8)^i < 1$	$\exp^{(i)} \left(O \left(\sqrt{\log^{(i+1)} n} \right) \right)$	Rand	Requires $d < 2\sqrt{\log^{(i+1)} n}$	[25]
$p(ed)^{d^2+1} < 1$	$O(d^2 + \log^* n)$	Det		[20]

Lower Bounds (apply to tree-structured instances)

$p \cdot f(d) < 1$	$\Omega(\log^* n)$	Rand	Any f	[12]
$p \cdot f(d) \leq 1$	$\Omega(\log_{\log(1/p)} \log n)$	Rand	Any $f(d) \leq 2^d$	[9]
$p \cdot f(d) \leq 1$	$\Omega(\log_d n)$	Det	Any $f(d) \leq 2^d$	[10]

LLL for Tree-Structured Instances

$p(ed)^2 < 1$	$O(\log n)$	Det		new
$p(ed)^\lambda < 1$	$O(\max\{\log_\lambda n, \frac{\log n}{\log \log n}\})$	Det	$\lambda \geq 2$	new
$p(ed)^\lambda < 1$	$O(\max\{\log_\lambda \log n, \frac{\log \log n}{\log \log \log n}\})$	Rand	$\lambda \geq 2(4^r + 8r)$	new

Table 2: A survey of distributed LLL algorithms (with a symmetric LLL criterion). $\text{MIS} = O(\min\{d + \log^* n, \log d + 2^{O(\sqrt{\log \log n})}\})$ [5, 24] is the complexity of computing a maximal independent set in a graph with maximum degree d . $\text{WeakMIS} = O(\log d)$ [24] is the task of finding an independent set I such that the probability that v is not in/adjacent to I is $1/\text{poly}(d)$. All lower bounds apply even to tree-structured instances. We do not optimize the LLL criterion $\lambda \geq 2(4^r + 8r)$.

1.3 Distributed Lovász Local Lemma

Lovász Local Lemma. Consider a set of independent random variables \mathcal{V} and a set of *bad* events \mathcal{E} , where each $A \in \mathcal{E}$ depends on a subset $\text{vbl}(A) \subset \mathcal{V}$. Define the dependency graph as $G_{\mathcal{E}} = (\mathcal{E}, \{(A, B) \mid \text{vbl}(A) \cap \text{vbl}(B) \neq \emptyset\})$. Symmetric versions of the Lovász local lemma are stated in terms of d , the maximum degree in $G_{\mathcal{E}}$, and $p = \max_{A \in \mathcal{E}} \Pr[A]$. A standard version of the LLL says that if $ep(d+1) < 1$ then $\Pr[\bigcap_{A \in \mathcal{E}} \bar{A}] > 0$. The constructive LLL problem is to assign values to all variables in \mathcal{V} such that no event in \mathcal{E} happens.

Distributed Lovász Local Lemma. In the *distributed* LLL problem the communications network is identical to $G_{\mathcal{E}}$. Every node A is identified with an event, which is aware of the distribution on the random variables $\text{vbl}(A) \subseteq \mathcal{V}$. The goal is to collectively assign values to all variables in \mathcal{V} such that no event in \mathcal{E} happens.

Randomized coloring algorithms in the LOCAL model are often composed of $O(1)$ -round routines that commit to a partial coloring, whose local probability of failure is small, as a function of Δ . Using a distributed Lovász local lemma (LLL) algorithm, we can guarantee global success with probability $1 - 1/\text{poly}(n)$ (using a randomized LLL algorithm) or even 1 (using a deterministic LLL algorithm). Table 2 summarizes distributed LLL algorithms under different symmetric criteria $p \cdot f(d) < 1$, where p is the local probability of failure and d is the maximum degree in the dependency graph. In distributed coloring algorithms it is typical to see $d = \text{poly}(\Delta)$ and $p = \exp(-d^{\Omega(1)})$, i.e., any polynomial LLL criterion of the form $p(ed)^c < 1$ where $c = O(1)$ is good enough.

Chang and Pettie [11] conjectured that the RandLOCAL complexity of the LLL under some polynomial LLL criterion is $O(\log \log n)$, matching the Brandt et al. [9] lower bound. If this conjecture were true, due to the necessity of graph shattering [10, Theorem 3], an optimal randomized LLL algorithm should be structured as follows. It must combine an $O(\log n)$ -time deterministic LLL algorithm and an $O(\log \log n)$ -time randomized *graph shattering* routine to break the dependency graph into $\text{poly}(\log n)$ -size LLL instances. Fischer and Ghaffari [20] exhibited a deterministic $n^{1/\lambda + o(1)}$ -time algorithm for LLL criterion $p(ed)^\lambda < 1$, and an $O(d^2 + \log^* n)$ routine to shatter the dependency graph into $\text{poly}(\log n)$ -size components. More recently, Ghaffari, Harris, and Kuhn [25] developed a generic derandomization method for the LOCAL model that implies randomized LLL algorithms with time $\exp^{(i)}(O(\sqrt{\log^{(i+1)} n}))$ for sufficiently small d , where i depends on how loose the LLL criterion is.

1.4 New Results

We present new upper and lower bounds on the complexity of edge coloring in the regimes between palette size Δ and $2\Delta - 2$, i.e., strictly below the “greedy” threshold $2\Delta - 1$.

Round Elimination. Our first result is a lower bound on $(2\Delta - 2)$ -edge coloring using a simplified version of Brandt et al.’s [9] *round elimination* technique. Roughly speaking, their idea is to convert any randomized t -round algorithm with local error probability p into a $(t - 1)$ -round algorithm with error probability $\approx p^{1/\Delta}$. By iterating the procedure they obtain a 0-round algorithm with error probability $\approx p^{\Delta^t}$. If any 0-round algorithm must have constant probability of failure, then $t = \Omega(\log_{\Delta} \log p^{-1})$. By setting $p = 1/\text{poly}(n)$ we get $\Omega(\log_{\Delta} \log n)$ RandLOCAL lower bounds for some problems, e.g., sinkless orientation. We present a much simplified round elimination technique that *appears* to give quantitatively worse bounds, but which can be *automatically* strengthened to match those of [9]. Rather than try to shave one round off the running time of *every* processor, it is significantly simpler to do it piecemeal, which leads us to the useful concept of an *irregular*

time profile. Suppose that the graph is initially k -edge colored, k being at least $2\Delta - 1$ so as not to trivialize the problem. An algorithm has irregular time profile $\mathbf{t} = (t_1, \dots, t_k)$ if edges with input color i choose their output color by examining only their t_i -neighborhood. In our simplified round-elimination technique, we show that any algorithm with time profile $(\underbrace{t, t, \dots, t}_i, \underbrace{t-1, \dots, t-1}_{k-i})$ and error probability p can be transformed into one with time profile $(\underbrace{t, t, \dots, t}_{i-1}, \underbrace{t-1, \dots, t-1}_{k-i+1})$ and error probability $O(p^{1/3})$, *only* by changing the algorithm for edges initially colored i . By iterating this process we arrive at $\Omega(\Delta^{-1} \log \log p^{-1})$ lower bounds, which has a weaker dependence on Δ than [9]. By following the proofs of Chang, Kopelowitz, and Pettie [10], any randomized lower bound of this type implies $\Omega(\log_\Delta n)$ lower bounds in DetLOCAL [10, Theorem 5], and hence $\Omega(\log_\Delta \log n)$ lower bounds in RandLOCAL [10, Theorem 3].

Faster $(1 + \epsilon)\Delta$ -edge Coloring. The $(1 + \epsilon)\Delta$ -edge coloring algorithms of [16, 19] are slow (with a polynomial dependence on ϵ^{-1}) and have limits on how small ϵ can be, as a function of Δ . We prove that the most “natural” randomized algorithm converges exponentially faster with ϵ^{-1} and can achieve palette sizes close to the minimum of $\Delta + \tilde{O}(\sqrt{\Delta})$ allowed by the nibble method. In particular, for any $\epsilon = \tilde{\Omega}(1/\sqrt{\Delta})$, $(1 + \epsilon)\Delta$ -edge coloring is reducible to $O(\log \epsilon^{-1})$ instances of the Lovász local lemma with local failure probability $\exp(-\epsilon^2 \Delta^{1-o(1)})$, plus one instance of $O(\Delta)$ -edge coloring, which can be solved quickly using [7, 19, 26]. When $\epsilon^2 \Delta \gg \log n$ the error is $1/\text{poly}(n)$; otherwise we can invoke a distributed LLL algorithm [35, 12, 20]. The $\left\lceil \frac{\log n}{\epsilon^2 \Delta^{1-o(1)}} \right\rceil$ -factor in Table 1 is due to the $O(\log_{1/epd^2} n)$ -time LLL algorithm of [12], with $1/epd^2 = \exp(\epsilon^2 \Delta^{1-o(1)})$.

Upper Bounds on Trees. Our lower bound on $(2\Delta - 2)$ -edge coloring applies even to trees. In order to adapt our randomized $(1 + \epsilon)\Delta$ -edge coloring algorithms to trees, we need a special LLL algorithm for *tree structured* dependency graphs. Using the framework of Fischer and Ghaffari [20], we give a deterministic $O(\max\{\log_\lambda n, \log n / \log \log n\})$ -time LLL algorithm for such instances under criterion $p(ed)^\lambda < 1$, $\lambda \geq 2$. The algorithm is based on a special network decomposition algorithm for tree-structured graphs, in which one color class has diameter $O(\log_\lambda n)$ while the other color classes have diameter 0. We also present a new graph shattering routine for tree-structured LLL instances that runs in time $O(\log_\lambda \log n)$, improving the $O(d^2 + \log^* n)$ -time shattering routine of [20] when d is not too small. (The new graph shattering method can be viewed as an algorithm that computes the final state of a certain contagion dynamic exponentially faster than simulating the actual contagion.) By composing these results we obtain a randomized $O(\max\{\log_\lambda \log n, \log \log n / \log \log \log n\})$ LLL algorithm for trees, which essentially matches the lower bound of [9] and the conjectured upper bound for general instances [11, Conjecture 1]. See Table 2.

A Distributed Vizing’s Theorem? Suppose that a distributed $(\Delta + 1)$ -edge coloring algorithm begins with a partial coloring and iteratively recolors subgraphs, always increasing the subset of colored edges. If this algorithm works correctly given *any* partial coloring, we prove that it takes $\Omega(\Delta \log n)$ time in any LOCAL model, and more generally, $(\Delta + c)$ -coloring takes $\Omega(\frac{\Delta}{c} \log n)$ time. This establishes a quantitative difference between the “locality” of Vizing’s theorem and Brooks’ theorem [37].

Organization. In Section 2 we give lower bounds on $(2\Delta - 2)$ -edge coloring. In Section 3 we give a randomized $(1 + \epsilon)\Delta$ -edge coloring algorithm, which requires a distributed LLL algorithm when

$\epsilon^2\Delta$ is sufficiently small. In Section 4 we give new LLL algorithms for tree-structured dependency graphs. In Section 5 we present new network decomposition algorithms for trees, which are used in Section 4. In Section 6 we prove some bounds on the problems of Δ - and $(\Delta + 1)$ -edge coloring trees. In Section 7 we give lower bounds on a class of “recoloring” algorithms for Vizing’s theorem. We conclude in Section 8. Some details in Section 3 are left to Appendix A.

2 Lower Bound for $(2\Delta - 2)$ -Edge Coloring

The *sinkless orientation* problem is to direct the edges such that no vertex has out-degree zero. Since this problem becomes *harder* with fewer edges, we let Δ denote the *minimum* degree in this problem, whereas in the edge coloring problem Δ is still the maximum degree. We first observe that sinkless orientation on 2-vertex colored bipartite graphs is reducible to $(2\Delta - 2)$ -edge coloring.

Theorem 1. *Suppose $\mathcal{A}_{e.c.}$ is a t -round $(2\Delta - 2)$ -edge coloring algorithm with local failure probability p . There is a $(t + 1)$ -round sinkless orientation algorithm $\mathcal{A}_{s.o.}$ for 2-vertex colored graphs with minimum degree Δ whose local failure probability is p .*

Proof. $\mathcal{A}_{e.c.}$ produces a proper *partial* $(2\Delta - 2)$ -edge coloring $\phi : E \rightarrow \{1, \dots, 2\Delta - 2, \perp\}$ such that for all $v \in V$, $\Pr[\exists(u, v) : \phi(u, v) = \perp] \leq p$, i.e., a vertex errs if not all of its edges are colored. Suppose we are given a bipartite graph $G = (V, E)$ with a 2-coloring $V \rightarrow \{0, 1\}$ and minimum degree Δ . In the first round of $\mathcal{A}_{s.o.}$, each vertex selects Δ of its incident edges arbitrarily and notifies the other endpoint whether it was selected. Let $G' = (V, E')$ be the subgraph of edges selected by *both* endpoints. The algorithm $\mathcal{A}_{s.o.}$ runs $\mathcal{A}_{e.c.}$ on G' for t rounds to get a partial coloring $\phi : E' \rightarrow \{1, \dots, 2\Delta - 2, \perp\}$, then orients the edges as follows. Recall that the underlying graph G is 2-vertex colored. Let $e = \{u_0, u_1\} \in E$ be an edge with u_j colored $j \in \{0, 1\}$. If both u_0 and u_1 do not select e , then e is oriented arbitrarily. Otherwise, $\mathcal{A}_{s.o.}$ orients e as follows.

$$\mathcal{A}_{s.o.}(\{u_0, u_1\}) = \begin{cases} 0 \rightarrow 1 & \text{if } \{u_0, u_1\} \in E' \text{ and } \phi(u_0, u_1) \in \{1, 2, \dots, \Delta - 1, \perp\}, \\ & \text{or if only } u_0 \text{ selected } \{u_0, u_1\}. \\ \\ 0 \leftarrow 1 & \text{if } \{u_0, u_1\} \in E' \text{ and } \phi(u_0, u_1) \in \{\Delta, \dots, 2\Delta - 2\}, \\ & \text{or if only } u_1 \text{ selected } \{u_0, u_1\}. \end{cases}$$

The only way a vertex v can be a sink is if (i) v has degree exactly Δ in G' , (ii) v is colored 1, and (iii) each edge e incident to v has $\phi(e) \in \{1, 2, \dots, \Delta - 1, \perp\}$. Criterion (iii) only occurs with probability at most p . \square

Thus, any lower bound for sinkless orientation on 2-vertex colored graphs also applies to $(2\Delta - 2)$ -edge coloring. Define \mathcal{T}_Δ to be an infinite Δ -regular tree whose vertices are properly 2-colored by $\{0, 1\}$ and whose edges are assigned a proper $(2\Delta - 1)$ -coloring uniformly at random. One could generate such a coloring as follows. Pick an edge and assign it a random color, then iteratively pick any vertex u with one incident edge colored, choose $\Delta - 1$ colors at random from the $\binom{2\Delta - 2}{\Delta - 1}$ possibilities, then assign them to u ’s remaining uncolored edges uniformly at random. Randomized algorithms that run on \mathcal{T}_Δ know the edge coloring and how it was generated. Thus, the probability of *failure* depends on the random bits generated by the algorithm, and those used to generate the edge coloring.

For simplicity we suppose that the *edges* host processors, and that two edges can communicate if they are adjacent in the line graph $L(\mathcal{T}_\Delta)$. Define $N^t(e)$ to be all edges within distance t of e in the line graph; we also use $N^t(e)$ to refer to *all information* stored in the processors within $N^t(e)$; this includes edge coloring, vertex coloring, and the random bits.

Recall that an algorithm has irregular time profile $\mathbf{t} = (t_1, \dots, t_k)$ if edges with input color i decide their output by examining only their t_i -neighborhood. By definition, a time- t algorithm has time profile (t, t, t, \dots, t) .

Lemma 1 (Round Elimination Lemma). *Suppose $\mathcal{A}_{s.o.}$ is a sinkless orientation algorithm for \mathcal{T}_Δ with error probability p and time profile $(\underbrace{t, t, \dots, t}_{i}, t-1, \dots, t-1)$, i.e., edges colored $\{1, \dots, i\}$ halt after t rounds and the others after $t-1$ rounds. There exists a sinkless orientation algorithm $\mathcal{A}'_{s.o.}$ with error probability $3p^{1/3}$ and time profile $(\underbrace{t, t, \dots, t}_{i-1}, t-1, \dots, t-1)$.*

Proof. Only edges colored i modify their algorithm; all others behave identically under $\mathcal{A}'_{s.o.}$ and $\mathcal{A}_{s.o.}$. Let $e_0 = \{u_0, u_1\}$ be an edge colored i with u_j colored $j \in \{0, 1\}$ and let the remaining edges incident to u_0 and u_1 be $\{e_1, \dots, e_{\Delta-1}\}$ and $\{e_\Delta, \dots, e_{2\Delta-2}\}$, respectively. Consider the following two events regarding the output of $\mathcal{A}_{s.o.}$.

$$\begin{aligned} \mathcal{E}_0 &: \forall j \in [1, \Delta-1], \mathcal{A}_{s.o.}(e_j) = 0 \leftarrow 1 && \text{I.e., } u_0 \text{ has outdegree 0 in } G - \{e_0\} \\ \mathcal{E}_1 &: \forall j \in [\Delta, 2\Delta-2], \mathcal{A}_{s.o.}(e_j) = 0 \rightarrow 1 && \text{I.e., } u_1 \text{ has outdegree 0 in } G - \{e_0\} \end{aligned}$$

If both events hold, then either u_0 or u_1 must be a sink, so

$$\Pr[\mathcal{E}_0 \cap \mathcal{E}_1] \leq 2p \tag{1}$$

On edge e_0 , $\mathcal{A}'_{s.o.}$ runs for $t-1$ rounds and determines whether the following events occur.

$$\mathcal{E}_0^* : \left[\Pr[\mathcal{E}_0 \mid N^{t-1}(e_0)] \geq p^{1/3} \right], \quad \mathcal{E}_1^* : \left[\Pr[\mathcal{E}_1 \mid N^{t-1}(e_0)] \geq p^{1/3} \right]$$

Notice that if we inspect $N^{t-1}(e_0)$, and condition on the information seen in $N^{t-1}(e_0)$, the events \mathcal{E}_0 and \mathcal{E}_1 become independent, since they now depend on disjoint sets of random variables. Specifically, \mathcal{E}_0 depends on $\bigcup_{j \in [1, \Delta-1]} N^t(e_j) \setminus N^{t-1}(e_0)$ and \mathcal{E}_1 depends on $\bigcup_{j \in [\Delta, 2\Delta-2]} N^t(e_j) \setminus N^{t-1}(e_0)$. Thus,

$$\Pr[\mathcal{E}_0 \cap \mathcal{E}_1 \mid N^{t-1}(e_0)] = \Pr[\mathcal{E}_0 \mid N^{t-1}(e_0)] \cdot \Pr[\mathcal{E}_1 \mid N^{t-1}(e_0)] \tag{2}$$

Since $\mathcal{E}_0^*, \mathcal{E}_1^*$ are determined by $N^{t-1}(e_0)$, (2) implies that $\Pr[\mathcal{E}_0 \cap \mathcal{E}_1 \mid \mathcal{E}_0^* \cap \mathcal{E}_1^*] \geq p^{2/3}$, and with (1) we deduce that

$$\Pr[\mathcal{E}_0^* \cap \mathcal{E}_1^*] \leq 2p^{1/3} \tag{3}$$

The algorithm $\mathcal{A}'_{s.o.}$ orients e_0 as follows.

$$\mathcal{A}'_{s.o.}(e_0) = \begin{cases} 0 \rightarrow 1 & \text{if } \mathcal{E}_0^* \text{ holds} \\ 0 \leftarrow 1 & \text{otherwise} \end{cases}$$

We now calculate the failure probabilities of u_0 and u_1 .

$$\begin{aligned} \Pr[u_0 \text{ is a sink}] &= \Pr[\overline{\mathcal{E}_0^*} \cap \mathcal{E}_0] \\ &\leq \Pr[\mathcal{E}_0 \mid \overline{\mathcal{E}_0^*}] \leq p^{1/3}, && \text{by definition of } \mathcal{E}_0^* \\ \Pr[u_1 \text{ is a sink}] &= \Pr[\mathcal{E}_0^* \cap \mathcal{E}_1] \\ &\leq \Pr[\mathcal{E}_0^* \cap \mathcal{E}_1^*] + \Pr[\mathcal{E}_1 \cap \overline{\mathcal{E}_1^*}] \\ &\leq 2p^{1/3} + p^{1/3} = 3p^{1/3}, && \text{by (3) and the definition of } \mathcal{E}_1^*. \end{aligned}$$

The failure probability of the remaining vertices (those not incident to any edge colored i) is the same under $\mathcal{A}_{s.o.}$ and $\mathcal{A}'_{s.o.}$. \square

Lemma 2. *Any sinkless orientation algorithm for \mathcal{T}_Δ with local error probability p has time complexity $\Omega(\Delta^{-1} \log \log p^{-1})$.*

Proof. Let $\mathcal{A}_{s.o.}$ be a t -round algorithm with error probability p , i.e., it has time profile (t, t, \dots, t) . Applying Lemma 1 $t(2\Delta - 1)$ times we get an algorithm $\mathcal{A}'_{s.o.}$ with time profile $(0, 0, \dots, 0)$ and error probability $p_0 = O(p^{3^{-t(2\Delta-1)}})$. We now claim that p_0 must also be at least $8^{-\Delta}$. Any 0-round orientation algorithm can be characterized by a real vector $(q_1, \dots, q_{2\Delta-1})$, where q_i is the probability that an edge colored i is oriented as $0 \rightarrow 1$. Without loss of generality, suppose that $q_1, \dots, q_\Delta \geq 1/2$. Fix any $v \in V(\mathcal{T}_\Delta)$ labeled 1. The probability that v is a sink is at least the probability that its edges are initially colored $\{1, \dots, \Delta\}$ and that they are all oriented away from v , hence $p_0 \geq \binom{2\Delta-1}{\Delta}^{-1} \cdot 2^{-\Delta} \geq 2^{-3\Delta}$. Combining the upper and lower bounds on p_0 we have

$$2^{3\Delta} \geq p_0^{-1} = \Omega((p^{-1})^{3^{-t(2\Delta-1)}})$$

and taking logs twice we have

$$\log(3\Delta) \geq \log \log p^{-1} - t(2\Delta - 1) \log 3 - O(1)$$

which implies that $t = \Omega(\Delta^{-1} \log \log p^{-1})$. □

Theorem 2. *Even on 2-vertex colored trees or 2-vertex colored graphs of girth $\Omega(\log_\Delta n)$, sinkless orientation and $(2\Delta - 2)$ -edge coloring require $\Omega(\log_\Delta \log n)$ time in RandLOCAL and $\Omega(\log_\Delta n)$ time in DetLOCAL.*

Proof. Consider any sinkless orientation or $(2\Delta - 2)$ -edge coloring algorithm with local probability of failure p . Lemma 2 applies to any vertex v and any radius t such that $N^t(v)$ is consistent with a subgraph of \mathcal{T}_Δ . Thus, on degree- Δ trees or graphs of girth $\Omega(\log_\Delta n)$ [15, 8], we get $\Omega(\min\{\Delta^{-1} \log \log p^{-1}, \log_\Delta n\})$ lower bounds. Following the same proof as [10, Theorem 5], this implies an $\Omega(\log_\Delta n)$ lower bound in DetLOCAL, which, according to [10, Theorem 3], implies an $\Omega(\log_\Delta \log n)$ lower bound in RandLOCAL. In other words, the weak RandLOCAL lower bound $\Omega(\Delta^{-1} \log \log n)$ implied by Lemma 2 *automatically* implies a stronger lower bound. □

3 Randomized Edge Coloring Algorithm

Elkin, Pettie, and Su [19] showed that for any *constant* $\epsilon > 0$, there is a number Δ_ϵ such that for $\Delta > \Delta_\epsilon$, $\Delta(1 + \epsilon)$ -edge coloring can be solved in

$$O(T_{LLL}(n, \text{poly}(\Delta), \exp(-\epsilon^2 \Delta / \text{poly}(\log \Delta))) + T^*(n, O(\Delta)))$$

rounds in the RandLOCAL model, where

$T_{LLL}(n, d, p)$ is the RandLOCAL complexity for constructive LLL with the parameters d and p on an n -vertex dependency graph.

$T^*(n, \Delta')$ is the RandLOCAL complexity for $5\Delta'$ -edge coloring on an n -vertex graph of maximum degree Δ' .

It is unclear to what extent the algorithm of [19] (or its predecessor [16]) still works if we allow $\epsilon = o(1)$. For instance, it is unknown whether $(\Delta + \Delta^{0.7})$ -edge coloring can be solved in RandLOCAL.

Challenges to Reducing the Number of Colors. The analysis of our algorithm is substantially more involved than all previous edge coloring algorithms [39, 16, 19]. Here we give a short technical review of the types of issues faced in distributed edge coloring.

Previous algorithms [19, 16] are based on the *Rödl Nibble* method. In each round, every uncolored edge nominates itself to be colored with probability $O(\epsilon)$ and remains idle otherwise; a self-nominated edge picks a free color from its available palette and *permanently* colors itself if the colors selected by adjacent edges do not conflict with it. The goal is to show that natural quantities (palette size, degree of vertices in the uncolored graph, etc.) are sharply concentrated around their expectations. The first issue is finding the right concentration bound. Chernoff bounds are insufficient for several reasons, one of which is the need for independence (or negative dependence [17, 18]) between the events of interest. Azuma’s inequality and variants fall short due to the weakness of Lipschitz properties (bounded differences).¹ The algorithm of Dubhashi, Grable, and Panconesi [16] used a specialized concentration inequality of Grable [29], whereas our algorithm and that of Elkin, Pettie, and Su [19] use one [17, Thm. (8.5)] that is syntactically closer to Chernoff/Hoeffding/Azuma-type inequalities. (It is restated as Theorem 13 in Appendix A.)

The purpose of the “self-nomination” step in [16, 19] is to simplify certain aspects of the analysis. For example, the probability that an edge is successfully colored, *conditioned on it nominating itself*, is a very high $1 - O(\epsilon)$. Because of this, we can afford to toss out any color c from e ’s palette if any nominated edge e' adjacent to e selects c — regardless of whether e' successfully colors itself. This type of subtle change generally makes things simpler. Some events which would ordinarily be dependent become independent, and some variables (e.g., a vertex’s c -degree) now depend on $\Theta(\Delta^2)$ variables rather than $\Theta(\Delta^3)$. The downside of this approach is that $\Omega(\epsilon^{-1})$ steps are necessary to color a large fraction of the graph, and *with each coloring step* the quantities we are monitoring (c -degree, palette size, etc.) deviate further from their expectations. When ϵ^{-1} is polynomial in Δ , the accumulated deviation errors make it impossible to achieve palette sizes as small as $\Delta + \tilde{O}(\sqrt{\Delta})$.

Our algorithm is more “natural” than [16, 19]. Roughly speaking, in each step each edge chooses a color uniformly at random from its available palette and permanently colors itself if there are no local conflicts. I.e., we dispense with the low probability self-nomination step. Let p_i be a lower bound on the palette size after i such steps, and d_i, t_i be upper bounds on uncolored degree and c -degree of any vertex, respectively. It is straightforward to show that if everything behaves precisely according to expectation, the (d_i) sequence shrinks by a $(1 - e^{-2})$ factor in each step and both $(p_i), (t_i)$ shrink by a $(1 - e^{-2})^2$ factor. In reality these quantities *do* deviate from their expectations, and even tiny, $(1 + o(1))$ -factor deviations compound themselves and spin out of control. One reason our analysis is more complex than [16, 19] is that we look at concentration up to *lower order terms*. For example, although $p_i \approx t_i$, we bound $\beta_i = \frac{p_i}{t_i} - 1$, which captures accumulated errors beyond the leading constants.

As in [19], we obtain good concentration in d_i, p_i, t_i with probability $1 - \exp(-\epsilon^2 \Delta / \log^{4+o(1)} \Delta)$, which is $1 - 1/\text{poly}(n)$ if Δ and ϵ are sufficiently large. If not, we must invoke a Lovász Local Lemma algorithm to make sure each random coloring experiment introduces bounded deviation errors in d_i, p_i, t_i . A constant fraction of the edges are colored in each step. For many parameter regimes the running time is dominated by $O(\log \epsilon^{-1})$ calls to an LLL algorithm.

In this section, we prove the following theorem, which improves upon the algorithm of [16, 19].

¹This can be seen by considering the problem of bounding the c -degree of a vertex v (the number of edges incident to v with color c in their palettes). This quantity potentially depends on the choices of $\Omega(\Delta^3)$ edges within distance 3 of v , and each such choice could affect v ’s c -degree by 1 or more. The sum of these Lipschitz constants completely dwarfs the expected c -degree, which makes Azuma-type inequalities inapplicable.

Theorem 3. Let $\epsilon = \omega\left(\frac{\log^{2.5}\Delta}{\sqrt{\Delta}}\right)$ be a function of Δ . If $\Delta > \Delta_\epsilon$ is sufficiently large there is a RandLOCAL algorithm for $(1 + \epsilon)\Delta$ -edge coloring in time

$$O(\log(1/\epsilon)) \cdot T_{LLL}\left(n, \text{poly}(\Delta), \exp(-\epsilon^2\Delta/\log^{4+o(1)}\Delta)\right) + T^*(n, O(\epsilon\Delta)).$$

Notice that $\exp(-\epsilon^2\Delta/\log^{4+o(1)}\Delta) = \exp(-\omega(\log\Delta))$, so we may use a distributed LLL algorithm under any criterion $p(ed)^\lambda < 1$. There is an inherent tradeoff between the palette size and the runtime in Theorem 3. Selecting smaller ϵ allows us to use fewer colors, but it leads to a higher $p = \exp(-\epsilon^2\Delta/\log^{4+o(1)}\Delta)$, which may increase the runtime of the LLL algorithm.

Runtime of $5\Delta'$ -edge Coloring. It is known that $T^*(n, \Delta')$ is at most $O(\log\Delta')$ plus the DetLOCAL complexity of $3\Delta'$ -edge coloring on $\text{poly}(\log n)$ -size graphs. This is achieved by applying the $(\tilde{\Delta} + 1)$ -vertex coloring algorithm of [7] to the line graph, where $\tilde{\Delta} = 2\Delta' - 2$ is the maximum degree of the line graph.

For the special case of $\Delta' = \log^{1+\Omega(1)}n$, $(2\Delta' - 1)$ -edge coloring can be solved in RandLOCAL $O(\log^*n)$ rounds [19]. The state-of-the-art DetLOCAL algorithm [26] for $(2 + x)\Delta'$ -edge coloring has complexity

$$O(\log^2\Delta' \cdot x^{-1} \cdot \log\log\Delta' \cdot \log^{1.71}\log\log\Delta' \cdot \log n)$$

for any $x > 1/\log\Delta'$. Thus, combining [19, 7, 26] with $x = 1$, we have

$$T^*(n, \Delta') = O(\log^3\log n \cdot \log\log\log n \cdot \log^{1.71}\log\log\log n) = (\log\log n)^{3+o(1)}.$$

This is achieved as follows. If $\Delta' = \Omega(\log^2n)$, we run the $O(\log^*n)$ -time RandLOCAL algorithm of [19]. Otherwise, we run the RandLOCAL graph shattering phase of [7] (using the first $2\Delta'$ colors) followed by the DetLOCAL algorithm of [26] (using the remaining $3\Delta'$ colors) on each component.

Runtime on Trees. Consider running our algorithm on a tree with palette size $(1 + \epsilon)\Delta$, where $\epsilon = \Omega\left(\frac{\log^{2.5+x}\Delta}{\sqrt{\Delta}}\right)$, for some positive constant x . Then the LLL parameters are $d = \text{poly}(\Delta)$ and $p = \exp(-\epsilon^2\Delta/\log^{4+o(1)}\Delta)$ in Theorem 3, which satisfy the criterion $p(ed)^\lambda < 1$ with $\lambda = \Omega(\log^x\Delta)$. Using our randomized LLL algorithm for trees (Section 4), we have

$$T_{LLL}\left(n, \text{poly}(\Delta), \exp(-\epsilon^2\Delta/\log^{4+o(1)}\Delta)\right) = O\left(\max\left\{\frac{\log\log n}{\log\log\log n}, \log_{\log\Delta}\log n\right\}\right).$$

We claim that $T^*(n, \Delta') = O(\log^*\Delta' + \log_{\Delta'}\log n)$ on trees. This is achieved as follows. First, do a $O(\log^*\Delta')$ -time randomized procedure to partially color the graph using the first $2\Delta'$ colors so that the remaining uncolored components have size $\text{poly}(\log n)$. This can be done using the algorithm of [19] without invoking any distributed LLL algorithm. Then, apply our deterministic $O(\log_{\Delta'}\tilde{n})$ -time algorithm for Δ' -edge coloring trees (Section 6) to each uncolored component separately, using a set of Δ' fresh colors.

To sum up, the time complexity of $(1 + \epsilon)\Delta$ -edge coloring trees is

$$\begin{aligned} & O\left(\log(1/\epsilon) \cdot \max\left\{\frac{\log\log n}{\log\log\log n}, \log_{\log\Delta}\log n\right\} + \log^*\Delta + \log_{\Delta}\log n\right) \\ & = O\left(\log(1/\epsilon) \cdot \max\left\{\frac{\log\log n}{\log\log\log n}, \log_{\log\Delta}\log n\right\}\right). \end{aligned}$$

This matches our $\Omega(\log_{\Delta}\log n)$ lower bound (Section 2) when $1/\epsilon, \Delta = O(1)$.

3.1 The Algorithm

Our algorithm has two phases. The goal of the first phase is to color a subset of the edges using the colors from $\mathcal{C}_1 \stackrel{\text{def}}{=} \{1, \dots, \Delta(1 + \xi)\}$ such that the subgraph induced by the uncolored edges has degree less than $\Delta' = \frac{1}{5}(\epsilon - \xi)\Delta = \Theta(\epsilon\Delta)$. The first phase consists of $O(\log(1/\epsilon))$ executions of a distributed Lovász Local Lemma algorithm. The second phase colors the remaining edges using the colors from $\mathcal{C}_2 \stackrel{\text{def}}{=} \{\Delta(1 + \xi) + 1, \dots, \Delta(1 + \epsilon)\}$ using the fastest available coloring algorithm, which takes $T^*(n, \Delta')$ time.

Algorithm. In what follows we focus on the first phase. We write G_i to denote the graph induced by the set of uncolored edges at the beginning of the i th iteration. Each edge e in G_i has a palette $\Psi_i(e) \subseteq \mathcal{C}_1$. We write $\deg_i(v)$ to denote the number of edges incident to v in G_i and $\deg_{c,i}(v)$ to denote the number of edges incident to v that have color c in their palettes. For the base case, we set $G_1 = G$ and $\Psi_i(e) = \mathcal{C}_1$ for all edges. In the graph G_i we maintain the following invariant \mathcal{H}_i .

Invariant \mathcal{H}_i : For each edge e , vertex v , and color c , we have:

$$\begin{aligned} \deg_i(v) &\leq d_i, \\ \deg_{c,i}(v) &\leq t_i, \\ |\Psi_i(e)| &\geq p_i. \end{aligned}$$

Parameters. Given two numbers $\eta \geq 1$ and $\xi \in (0, \epsilon)$ (which are functions of Δ), we define three sequences of numbers $\{d_i\}$, $\{t_i\}$, and $\{p_i\}$ as follows.

Base case ($i = 1$):

$$d_1 \stackrel{\text{def}}{=} \Delta \quad t_1 \stackrel{\text{def}}{=} \Delta \quad p_1 \stackrel{\text{def}}{=} \Delta(1 + \xi)$$

Inductive step ($i > 1$):

$$\begin{aligned} d_i &\stackrel{\text{def}}{=} (1 + \delta_{i-1})d_{i-1}^\diamond & d_{i-1}^\diamond &\stackrel{\text{def}}{=} d_{i-1} \cdot \left(1 - (1 - 1/p_{i-1})^{2(t_{i-1}-1)}\right) \\ t_i &\stackrel{\text{def}}{=} (1 + \delta_{i-1})t_{i-1}^\diamond & t_{i-1}^\diamond &\stackrel{\text{def}}{=} t_{i-1} \cdot \left(1 - \frac{t_{i-1}}{p_{i-1}}(1 - 1/p_{i-1})^{2t_{i-1}}\right) (1 - (1 - 1/p_{i-1})^{2t_{i-1}}) \\ p_i &\stackrel{\text{def}}{=} (1 - \delta_{i-1})p_{i-1}^\diamond & p_{i-1}^\diamond &\stackrel{\text{def}}{=} p_{i-1} \cdot \left(1 - \frac{t_{i-1}}{p_{i-1}}(1 - 1/p_{i-1})^{2t_{i-1}}\right)^2 \end{aligned}$$

Drifts (all i):

$$\delta_i \stackrel{\text{def}}{=} \frac{\beta_i}{\eta} \quad \beta_i \stackrel{\text{def}}{=} \frac{p_i}{t_i} - 1 \quad (\text{Notice that } \beta_1 = \xi)$$

The choice of parameters are briefly explained as follows. Consider an ideal situation where $\deg_{i-1}(v) = d_{i-1}$, $\deg_{c,i-1}(v) = t_{i-1}$, and $|\Psi_{i-1}(e)| = p_{i-1}$ for all c , e , and v . Consider a very simple experiment called **One-Shot-Coloring** in which each uncolored edge attempts to color itself by selecting a color uniformly at random from its available palette. An edge e successfully colors itself with probability $(1 - 1/p_{i-1})^{2(t_{i-1}-1)}$, since there are $2(t_{i-1} - 1)$ edges competing with e for $c \in \Psi_{i-1}(e)$, and each of these $2(t_{i-1} - 1)$ edges selects c with probability $1/p_{i-1}$. Thus, by linearity of expectation, the expected degree of v after **One-Shot-Coloring** is d_{i-1}^\diamond , and the parameter d_i is simply d_{i-1}^\diamond with some slack. The parameters $\{t_{i-1}^\diamond, t_i, p_{i-1}^\diamond, p_i\}$ carry analogous meanings. The

term β_i represents the *second-order* error. We need control over $\{\beta_i\}$ since it influences the growth of the three sequences $\{d_i\}$, $\{t_i\}$, and $\{p_i\}$.

For the base case, it is straightforward to see that we have $\deg_1(v) = \Delta$, $\deg_{c,1}(v) = \Delta$, and $|\Psi_1(e)| = \Delta(1 + \xi)$, and thus G_1 satisfies the invariant \mathcal{H}_1 . For the inductive step, given that \mathcal{H}_i is met in G_i , we use a distributed LLL algorithm (based on **One-Shot-Coloring**) to color a subset of edges in G_i so that the next graph G_{i+1} induced by the uncolored edges satisfies \mathcal{H}_{i+1} . We repeat this procedure until the *terminating condition* $d_i \leq \frac{1}{5}(\epsilon - \xi)\Delta$ is met, and then we proceed to the second phase.

Analysis. Recall that $\epsilon = \omega(\frac{\log^{2.5} \Delta}{\sqrt{\Delta}})$. We set η to be any function of Δ that is $\omega(\log \Delta)$ such that $\epsilon \geq \frac{\eta^{2.5}}{\sqrt{\Delta}}$. We set $\xi = \frac{\epsilon}{6\eta}$. The following lemma shows that under certain criteria, the parameters $\{d_i\}$, $\{t_i\}$, $\{p_i\}$, and $\{\beta_i\}$ are very close to their “ideal” values. The proof is deferred to Section 3.3.

Lemma 3. *Consider an index $i > 1$. Suppose $\min\{d_{i-1}, t_{i-1}, p_{i-1}\} = \omega(\log \Delta)$, $\beta_{i-1} = o(1/\log \Delta)$, and $\delta_{i-1} = o(\beta_{i-1}/\log \Delta)$. Then the following four equations hold.*

$$\begin{aligned} d_i &= d_{i-1} \cdot (1 \pm o(1/\log \Delta))(1 - e^{-2}) \\ t_i &= t_{i-1} \cdot (1 \pm o(1/\log \Delta))(1 - e^{-2})^2 \\ p_i &= p_{i-1} \cdot (1 \pm o(1/\log \Delta))(1 - e^{-2})^2 \\ \beta_i &= \beta_{i-1} \cdot (1 \pm o(1/\log \Delta))/(1 - e^{-2}) \end{aligned}$$

Based on Lemma 3, we have the following lemma.

Lemma 4. *Let $i^* = O(\log(1/\epsilon)) = O(\log \Delta)$ be the largest index such that $\beta_{i^*-1} \leq 1/\eta$. Then the following four equations hold for any $1 < i \leq i^*$.*

$$\begin{aligned} d_i &= (1 \pm o(1/\log \Delta))^{i-1} \Delta (1 - e^{-2})^{i-1} = (1 \pm o(1)) \Delta (1 - e^{-2})^{i-1} \\ t_i &= (1 \pm o(1/\log \Delta))^{i-1} \Delta (1 - e^{-2})^{2(i-1)} = (1 \pm o(1)) \Delta (1 - e^{-2})^{2(i-1)} \\ p_i &= (1 \pm o(1/\log \Delta))^{i-1} \Delta (1 - e^{-2})^{2(i-1)} = (1 \pm o(1)) \Delta (1 - e^{-2})^{2(i-1)} \\ \beta_i &= (1 \pm o(1/\log \Delta))^{i-1} \xi / (1 - e^{-2})^{i-1} = (1 \pm o(1)) \xi / (1 - e^{-2})^{i-1} \end{aligned}$$

Proof. To prove the lemma, it suffices to show that the condition of Lemma 3 is met for all indices $1 < i \leq i^*$. We prove this by an induction on i . By the induction hypothesis the four equations hold at index $i - 1$. We show that the condition of Lemma 3 is met for the index i , and so the four equations also hold for index i . Due to $1/\eta = o(1/\log \Delta)$, we already have $\beta_{i-1} = o(1/\log \Delta)$ and $\delta_{i-1} = o(\beta_{i-1}/\log \Delta)$. It remains to prove that $\min\{d_{i-1}, t_{i-1}, p_{i-1}\} = \omega(\log \Delta)$.

$$\begin{aligned} &\min\{d_{i-1}, t_{i-1}, p_{i-1}\} \\ &\geq (1 \pm o(1)) \Delta (1 - e^{-2})^{2(i-1)} && \text{(Induction hypothesis for } d_{i-1}, t_{i-1}, p_{i-1}\text{)} \\ &= (1 \pm o(1)) \Delta (1 - e^{-2})^{2(i-2)} (1 - e^{-2})^2 \\ &= (1 \pm o(1)) \Delta \cdot \left(\frac{(1 - e^{-2} \pm o(1)) \xi}{\beta_{i-1}} \right)^2 && \text{(Induction hypothesis for } \beta_{i-1}\text{)} \\ &\geq (1 - e^{-2} \pm o(1)) \xi^2 \eta^2 \Delta && (\beta_{i-1} \leq 1/\eta) \\ &= \Omega(\eta^5) && (\xi = \Omega(\frac{\eta^{1.5}}{\sqrt{\Delta}})) \\ &= \omega(\log \Delta) \end{aligned}$$

□

It remains to show that (i) the number of iterations it takes to reach the terminating condition is $O(\log 1/\epsilon)$, and (ii) in each iteration, in $T_{LLL} \left(n, \text{poly}(\Delta), \exp(-\epsilon^2 \Delta / \log^{4+o(1)} \Delta) \right)$ time, invariant \mathcal{H}_i can be maintained. By Lemma 4, we have:

$$\begin{aligned} d_{i^*} &= (1 \pm o(1))\Delta(1 - e^{-2})^{i^*-1} && \text{(Lemma 4 for } d_{i^*}) \\ &= (1 \pm o(1))\Delta \cdot \xi / \beta_{i^*} && \text{(Lemma 4 for } \beta_{i^*}) \\ &\leq (1 \pm o(1))\xi\eta\Delta && (\beta_{i^*} > 1/\eta) \end{aligned}$$

For our choices of η and ξ , we have $d_{i^*} \approx \xi\eta\Delta = \frac{\epsilon\Delta}{6}$. Thus, the terminating condition $d_i \leq \frac{1}{5}(\epsilon - \xi)\Delta$ must be reached before the i^* -iteration (since $\frac{1}{5}(\epsilon - \xi)\Delta > \frac{\epsilon\Delta}{6}$). The number of iterations it takes to reach the terminating condition is $O(\log 1/\epsilon)$ by Lemma 4 for d_i .

For each $1 < i \leq i^*$, we have:

$$\begin{aligned} \delta_i^2 \cdot \min\{d_i, t_i, p_i\} &= \beta_i^2 t_i / \eta^2 && \text{(Definition of } \delta_i) \\ &= (1 \pm o(1)) \cdot (\xi / (1 - e^{-2})^{i-1})^2 \cdot \left(\Delta(1 - e^{-2})^{2(i-1)} \right) / \eta^2 && \text{(Lemma 4 for } t_i, \beta_i) \\ &= (1 \pm o(1)) \cdot \Delta(\xi/\eta)^2 \\ &= \Omega(\epsilon^2 \Delta / \eta^4) && \text{(Definition of } \xi) \\ &= \omega(\log \Delta). && \text{(Definition of } \epsilon) \end{aligned}$$

We will later see in Section 3.2 that this implies that any LLL algorithm with parameters $d = \text{poly}(\Delta)$ and $p = \exp(-\Omega(\Delta\epsilon^2/\eta^4))$ suffices to maintain the invariant in each iteration. Notice that if we select $\eta = \log^{1+o(1)} \Delta$, then $p = \exp(-\epsilon^2 \Delta / \log^{4+o(1)} \Delta)$, as desired.

3.2 Maintenance of the Invariant

In this section we show how to apply a distributed LLL algorithm, with parameters $d = \text{poly}(\Delta)$ and $p = \exp(-\Omega(\delta_i^2 \cdot \min\{d_i, t_i, p_i\}))$, to achieve the following task: given a graph G_i meeting the property \mathcal{H}_i , color a subset of edges of G_i so that the graph induced by the remaining uncolored edges satisfies the property \mathcal{H}_{i+1} . We write $\Psi(e) = \Psi_i(e)$ for notational simplicity. Consider the following modification to the underlying graph G_i :

- Each edge e discards colors from its palette to achieve uniform palette size p_i .
- Each vertex v locally simulates some imaginary subtrees attached to v and obeying \mathcal{H}_i to achieve uniform color degree t_i . That is, if a color c appears in the palette of some edge incident to a vertex v , then c must appear in the palette of *exactly* t_i edges incident to v .

These (imaginary) modifications to the underlying graph are introduced to enforce broadly *uniform* progress in every part of the graph. Observe that if \mathcal{H}_i applies to the imaginary graph it also applies to the true graph as well, since we are concerned with *lower* bounds on palette sizes and *upper* bounds on (c -)degrees. Our analysis largely focusses on how the following $O(1)$ -round procedure affects the imaginary graph.

One-Shot-Coloring.

- (1) Each edge e selects a color $\text{Color}^*(e) \in \Psi(e)$ uniformly at random.
- (2) An edge e successfully colors itself $\text{Color}^*(e)$ if no neighboring edge also selects $\text{Color}^*(e)$.

We write $S(v)$ to denote the set of real edges incident to v , and we write $N_c(v)$ to denote the set of real and imaginary edges incident to v that have c in their palettes. Let $S^\circ(v)$ (resp., $N_c^\circ(v)$) be the subset of $S(v)$ (resp., $N_c(v)$) that are still uncolored after **One-Shot-Coloring**. Let $\Psi^\circ(e)$ be the result of removing all colors c from $\Psi(e)$ such that some edge incident to e successfully colors itself by c .

The following concentration bound implies that \mathcal{H}_{i+1} holds with high probability in the graph induced by the real uncolored edges after **One-Shot-Coloring**, and thus we can apply a distributed LLL algorithm to obtain G_{i+1} that meets the invariant \mathcal{H}_{i+1} . See Appendix A for proof.

Lemma 5. *Suppose that \mathcal{H}_i holds. The following concentration bounds hold for any $\delta > 0$.*

$$\begin{aligned} \Pr[|S^\circ(v)| > (1 + \delta)d_i^\circ] &= \exp(-\Omega(\delta^2 d_i)) \\ \Pr[|N_c^\circ(v)| > (1 + \delta)t_i^\circ \mid N_c^\circ(v) \neq \emptyset] &= \exp(-\Omega(\delta^2 t_i)) \\ \Pr[|\Psi^\circ(e)| < (1 - \delta)p_i^\circ \mid e \text{ remains uncolored}] &= \exp(-\Omega(\delta^2 p_i)) \end{aligned}$$

We write $N^k(v)$ to denote the set of all vertices within distance k of v . It is straightforward to see that (i) $S^\circ(v)$ depends only on the colors selected by the edges whose endpoints are both in $N^2(v)$, (ii) $N_c^\circ(v)$ depends only on the colors selected by the edges whose endpoints are both in $N^3(v)$, and (iii) $\Psi^\circ(e)$ depends only on the colors selected by the edges whose endpoints are both in $N^2(u) \cup N^2(v)$, where $e = \{u, v\}$. Thus, the parameters for the distributed LLL are $d = \text{poly}(\Delta)$ and $p = \exp(-\Omega(\delta_i^2 \cdot \min\{d_i, t_i, p_i\}))$, as desired.

3.3 Proof of Lemma 3

In this section, we prove Lemma 3. We assume $\min\{d_{i-1}, t_{i-1}, p_{i-1}\} = \omega(\log \Delta)$, $\beta_{i-1} = o(1/\log \Delta)$, and $\delta_{i-1} = o(\beta_{i-1}/\log \Delta)$. The two terms $(1 - 1/p_{i-1})^{2t_{i-1}}$ and $\frac{t_{i-1}}{p_{i-1}}(1 - 1/p_{i-1})^{2t_{i-1}}$ show up in the definition of d_{i-1}° , t_{i-1}° , and p_{i-1}° . We begin by showing that these two terms are both $e^{-2}(1 + o(1/\log \Delta))$. We use the fact that $\frac{t_{i-1}}{p_{i-1}} = \frac{1}{\beta_{i-1} + 1}$ in the following calculation.

$$\begin{aligned} (1 - 1/p_{i-1})^{2t_{i-1}} &= e^{-2t_{i-1}/p_{i-1}}(1 - O(t_{i-1}/p_{i-1}^2)) && \text{(Taylor expansion of } e^x) \\ &= e^{-2} \cdot e^{2(1-t_{i-1}/p_{i-1})} (1 - O(t_{i-1}/p_{i-1}^2)) \\ &= e^{-2} \cdot e^{2(1-t_{i-1}/p_{i-1})} \left(1 - O\left(\frac{1}{(1 + \beta_{i-1})p_{i-1}}\right)\right) && \text{(Defn. } \beta_{i-1}) \\ &= e^{-2} \cdot e^{2(1-t_{i-1}/p_{i-1})} (1 - o(1/\log \Delta)) && (p_{i-1} = \omega(\log \Delta)) \\ &= e^{-2} \cdot e^{2\beta_{i-1}/(\beta_{i-1} + 1)} (1 - o(1/\log \Delta)) \\ &= e^{-2} \cdot (1 + O(2\beta_{i-1}/(\beta_{i-1} + 1)))(1 - o(1/\log \Delta)) \\ &= e^{-2} \cdot (1 + o(1/\log \Delta))(1 - o(1/\log \Delta)) \\ &= e^{-2}(1 + o(1/\log \Delta)). && (*) \end{aligned}$$

$$\begin{aligned} \frac{t_{i-1}}{p_{i-1}}(1 - 1/p_{i-1})^{2t_{i-1}} &= e^{-2} \cdot \frac{t_{i-1}}{p_{i-1}} \cdot (1 + o(1/\log \Delta)) && \text{by } (*) \\ &= e^{-2}(1 + o(1/\log \Delta))/(1 + \beta_{i-1}) \\ &= e^{-2}(1 + o(1/\log \Delta))/(1 + o(1/\log \Delta)) \\ &= e^{-2}(1 \pm o(1/\log \Delta)). && (**) \end{aligned}$$

We are in a position to derive the first three equations in Lemma 3 (i.e., estimates of d_i , t_i , and p_i). Recall that $\delta_{i-1} = o(1/\log^2 \Delta)$ and $1/p_{i-1} = o(1/\log \Delta)$.

$$\begin{aligned}
d_i &= d_{i-1} \cdot (1 + \delta_{i-1}) \left(1 - (1 - 1/p_{i-1})^{2(t_{i-1}-1)}\right) \\
&= d_{i-1} \cdot (1 + o(1/\log^2 \Delta)) (1 - e^{-2(1 + o(1/\log \Delta))/(1 - 1/p_{i-1})^2}) \quad \text{By (*)} \\
&= d_{i-1} \cdot (1 + o(1/\log^2 \Delta)) (1 - e^{-2(1 + o(1/\log \Delta))}) \\
&= d_{i-1} \cdot (1 \pm o(1/\log \Delta))(1 - e^{-2}).
\end{aligned}$$

$$\begin{aligned}
t_i &= t_{i-1} \cdot (1 + \delta_{i-1}) \left(1 - \frac{t_{i-1}}{p_{i-1}} (1 - 1/p_{i-1})^{2t_{i-1}}\right) (1 - (1 - 1/p_{i-1})^{2t_{i-1}}) \\
&= t_{i-1} \cdot (1 + o(1/\log^2 \Delta)) (1 - e^{-2(1 \pm o(1/\log \Delta))})^2 \quad \text{By (**)} \\
&= t_{i-1} \cdot (1 \pm o(1/\log \Delta))(1 - e^{-2})^2.
\end{aligned}$$

$$\begin{aligned}
p_i &= p_{i-1} \cdot (1 - \delta_{i-1}) \left(1 - \frac{t_{i-1}}{p_{i-1}} (1 - 1/p_{i-1})^{2t_{i-1}}\right)^2 \\
&= p_{i-1} \cdot (1 - o(1/\log^2 \Delta)) (1 - e^{-2(1 \pm o(1/\log \Delta))})^2 \quad \text{By (**)} \\
&= p_{i-1} \cdot (1 \pm o(1/\log \Delta))(1 - e^{-2})^2.
\end{aligned}$$

Finally, we derive the last equation in Lemma 3: an estimate of the second-order error β_i .

$$\begin{aligned}
\beta_i &= \frac{p_i}{t_i} - 1 \\
&= \frac{(1 - \delta_{i-1})p_{i-1}^\diamond}{(1 + \delta_{i-1})t_{i-1}^\diamond} - 1 \\
&= (1 - O(\delta_{i-1})) \cdot \frac{p_{i-1}}{t_{i-1}} \cdot \frac{1 - \frac{t_{i-1}}{p_{i-1}}(1 - 1/p_{i-1})^{2t_{i-1}}}{1 - (1 - 1/p_{i-1})^{2t_{i-1}}} - 1 \quad \text{Definition of } p_{i-1}^\diamond \text{ and } t_{i-1}^\diamond \\
&= (1 - O(\delta_{i-1})) \cdot \frac{\frac{p_{i-1}}{t_{i-1}} - (1 - 1/p_{i-1})^{2t_{i-1}}}{1 - (1 - 1/p_{i-1})^{2t_{i-1}}} - 1 \\
&= \frac{\left(\frac{p_{i-1}}{t_{i-1}} - 1\right) + O(\delta_{i-1}) \left(-\frac{p_{i-1}}{t_{i-1}} + (1 - 1/p_{i-1})^{2t_{i-1}}\right)}{1 - (1 - 1/p_{i-1})^{2t_{i-1}}} \\
&= \frac{\left(\frac{p_{i-1}}{t_{i-1}} - 1\right) + O(\delta_{i-1}) \left(-\frac{p_{i-1}}{t_{i-1}} + (1 - 1/p_{i-1})^{2t_{i-1}}\right)}{1 - e^{-2(1 + o(1/\log \Delta))}} \quad \text{by (*)} \\
&= \frac{\beta_{i-1} - O(\delta_{i-1})}{(1 - e^{-2})(1 - o(1/\log \Delta))} \quad -\frac{p_{i-1}}{t_{i-1}} + (1 - 1/p_{i-1})^{2t_{i-1}} = -\Theta(1) \\
&= \frac{\beta_{i-1}(1 - o(1/\log^2 \Delta))}{(1 - e^{-2})(1 - o(1/\log \Delta))} \quad \delta_{i-1} = o(1/\log^2 \Delta) \\
&= \beta_{i-1} \cdot (1 \pm o(1/\log \Delta))/(1 - e^{-2}).
\end{aligned}$$

4 Distributed Lovász Local Lemma on Trees

In this section, we study the distributed LLL on *tree-structured dependency graphs*, which we define as follows. Let T be a tree. Each vertex v holds some variables $\mathcal{V}(v)$ and is associated with a bad event $E(v)$ that depends only on variables within distance $r/2$ of v ; that is, $\text{vbl}(E(v)) = \bigcup_{u \in N^{r/2}(v)} \mathcal{V}(u)$. If S is a subset of the vertices, we use $\text{vbl}(S)$ to be short for $\bigcup_{v \in S} \text{vbl}(E(v)) = \bigcup_{v \in S} \bigcup_{u \in N^{r/2}(v)} \mathcal{V}(u)$.

The dependency graph for the set of bad events \mathcal{E} is exactly T^r , which is the graph obtained by adding edges to all pairs of vertices of distance at most r in T . Thus, the maximum degree of the dependency graph is Δ^r , where Δ is the maximum degree of T . We fix the parameter $d = \Delta^r$. Notice that the tree-structured dependency graphs (with parameter r) arise naturally from any $r/2$ -time **RandLOCAL** experiment that is run on a tree T . Throughout this section we assume $r/2 \geq 1$ is an integer and that $\Delta \geq 3$.

4.1 Deterministic LLL Algorithm

A (λ, γ) -*network decomposition* is a partition of the vertex set into V_1, \dots, V_λ such that each connected component induced by each V_i has diameter at most γ . Fischer and Ghaffari [20] showed that given a (λ, γ) -decomposition of $G_{\mathcal{E}}^2$, an LLL instance satisfying $p(ed)^\lambda < 1$ is solvable in $O(\lambda(\gamma + 1))$ time. We use a slight generalization of standard network decompositions. A $(\lambda_1, \gamma_1, \lambda_2, \gamma_2)$ -network decomposition is a partition of the vertices into $V_1, \dots, V_{\lambda_1}, U_1, \dots, U_{\lambda_2}$ such that connected components induced by V_i have diameter at most γ_1 and those induced by U_i have diameter at most γ_2 .

Lemma 6 (Fischer and Ghaffari [20]). *Suppose that a $(\lambda_1, \gamma_1, \lambda_2, \gamma_2)$ -network decomposition of $G_{\mathcal{E}}^2$ is given. Any LLL instance on $G_{\mathcal{E}}$ satisfying $p(ed)^{\lambda_1 + \lambda_2} < 1$ can be solved in **DetLOCAL** in $O(\lambda_1(\gamma_1 + 1) + \lambda_2(\gamma_2 + 1))$ time.*

The proof of Theorem 4 is based on the network decompositions for trees found in Section 5. A *distance- d dominating set* of a graph G is a vertex set S such that for each vertex v in the graph G , there exists $u \in S$ such that $\text{dist}(u, v) \leq d$.

Theorem 4. *Any tree-structured LLL satisfying $p(ed)^\lambda < 1$ with $\lambda \geq 2$ can be solved in **DetLOCAL** in $O(\max\{\log_\lambda s, \frac{\log s}{\log \log s}\} + \log^* n)$ time, where $s \leq n$ is the size of any distance- $O(1)$ dominating set of the tree T .*

Proof. Recall that the dependency graph is T^r for some tree T and constant r . In Section 5 we show that a standard $(2, O(\log s))$ -decomposition for $(T^r)^2 = T^{2r}$ is computable in $O(\log s + \log^* n)$ time, and if $\lambda = \Omega(1)$ is sufficiently large, a $(1, O(\log_\lambda s), O(\lambda^2), 0)$ -decomposition for T^{2r} is computable in $O(\log_\lambda s + \log^* n)$ time.

When $\lambda = O(1)$ is sufficiently small, we apply Lemma 6 with the first network decomposition. Because the decomposition has two parts, this works with LLL criterion $p(ed)^2 < 1$. When λ is sufficiently large we compute a $(1, O(\log_{\hat{\lambda}} s), O(\hat{\lambda}^2), 0)$ -decomposition in $O(\log_{\hat{\lambda}} s + \log^* n)$ time, where $\hat{\lambda} = \min\{\lambda, \sqrt{\frac{\log s}{\log \log s}}\}$. We solve the LLL by applying Lemma 6, which takes time $O(\hat{\lambda}^2 + \log_{\hat{\lambda}} s + \log^* n) = O(\max\{\log_\lambda s, \frac{\log s}{\log \log s}\} + \log^* n)$. Observe that because of the $\hat{\lambda}^2$ term, we cannot benefit from LLL instances with $\lambda \gg \sqrt{\frac{\log s}{\log \log s}}$. \square

Note that the time bound for Theorem 4 is in terms of s rather than n . We will apply Theorem 4 after performing a graph shattering step, the output of which creates many disjoint tree-structured

instances with size $\text{poly}(\Delta) \log n$, but which contain only $\log n$ -size distance- $O(1)$ dominating sets. We want the time bound to be in terms of $s = \log n$ and independent of Δ . If we combine Theorem 4 with the $O(d^2 + \log^* n)$ Fischer and Ghaffari's [20] shattering routine, we obtain a $O(d^2 + \max\{\log_\lambda \log n, \frac{\log \log n}{\log \log \log n}\})$ -time RandLOCAL LLL algorithm for criterion $p(ed)^\lambda < 1$, $\lambda \geq 4$, which is efficient only when d is small. In Section 4.2 we present a new method for computing a partial assignment to the variables that effectively shatters a large dependency graph into many independent subproblems, each satisfying a polynomial LLL criterion w.r.t. the unassigned variables.

4.2 Randomized LLL Algorithm

Consider a tree-structured LLL instance T^r with LLL criterion $p(ed)^\lambda < 1$. In subsequent discussion, unless otherwise stated, the underlying graph is, by default, assumed to be T . Our shattering routine will work towards finding a *good* partial assignment.

Definition 1. *A partial assignment ϕ to the variables in the LLL system is good if it satisfies the following three properties.*

1. *If all variables in $\text{vbl}(E(v)) = \bigcup_{u \in N^{r/2}(v)} \mathcal{V}(u)$ are assigned, then the bad event $E(v)$ does not occur under the assignment ϕ .*
2. *Let V' be the set of all vertices v such that $\text{vbl}(E(v))$ contains some unassigned variables. Each connected component C induced by V' has size at most $\text{poly}(\Delta) \cdot O(\log n)$, and C contains a distance- $2r$ dominating set with size at most $O(\log n)$.*
3. *Conditioned on the partial assignment ϕ , the probability of any bad event $E(v)$ is at most $p' = \sqrt{p}$. (In particular, (3) implies (1) as a special case.)*

Due to Definition 1(3), conditioned on a good partial assignment ϕ , the bad events in each connected component C induced by V' form an LLL system with the LLL criterion $p'(ed)^{\lambda/2} < 1$. Thus, the good partial assignment ϕ effectively shatters the tree T into small components, each of which is an independent LLL system. In Sections 4.3–4.5 we prove the following efficient “shattering lemma.”

Lemma 7. *Suppose we are given a tree-structured LLL instance T^r satisfying LLL criterion $p(ed)^\lambda < 1$, where $\lambda \geq 2(4^r + 8r)$. There is a RandLOCAL algorithm that computes a good partial assignment ϕ in $O(\log_\lambda \log n)$ time.*

By applying Lemma 7 and then Theorem 4 to the LLL instance of each component, we are now able to efficiently solve tree-structured LLL instances in $O(\log \log n)$ time or faster, independent of the maximum degree d of the dependency graph. We have the following theorem.

Theorem 5. *Let T^r be a tree-structured LLL instance satisfying criterion $p(ed)^\lambda < 1$ with $\lambda \geq 2(4^r + 8r)$. This LLL can be solved in RandLOCAL in $O(\max\{\log_\lambda \log n, \frac{\log \log n}{\log \log \log n}\})$ time.*

The statement of Lemma 7 actually suggests an algorithm to compute a good partial assignment ϕ . First, draw a total assignment ϕ to \mathcal{V} according to the distribution of the variables. If any bad event $E(v)$ occurs under ϕ , update ϕ by *unsetting* all variables in $\text{vbl}(E(v))$. More generally, whenever $\Pr[E(v)|\phi]$ exceeds \sqrt{p} , update ϕ by unsetting all variables in $\text{vbl}(E(v))$. This can be viewed as a *contagion dynamic* played out on the dependency graph. Bad events that occur under the initial total assignment are *infected*, and infected vertices can cause nearby neighbors to become infected.

If this contagion process were actually simulated, it would take $\Omega(\log n)$ parallel steps to reach a stable state, which is too slow. We will provide a different method to achieve a stable state that is exponentially faster, by avoiding a direct simulation.

4.3 Criterion for Infection

Let u be a vertex in the undirected tree T . Then $T - \{u\}$ consists of $\deg(u)$ subtrees $T_1, \dots, T_{\deg(u)}$; we call T_k the k th subtree of u . Define $C_u(k, [i, j])$ to be the set of vertices in the k th subtree of u whose distance to u lies in the interval $[i, j]$. For example, $C_u(k, [1, 1])$ only contains the k th neighbor of u . For any vertex set S , define $\widehat{\deg}_S(u)$ as follows,

$$\widehat{\deg}_S(u) = |\{k : C_u(k, [1, r]) \cap S \neq \emptyset\}|.$$

In other words, it is the number of *distinct* subtrees of u containing at least one S -vertex within distance r .

Let $\mu \geq 4$ and $\lambda' \geq 1$ be two integers such that $\lambda \geq 2(\mu^r + \lambda')$. The following bad events $B(S, v)$ and $B(v)$ are defined w.r.t. the following process. First, we fix a total assignment ϕ to the variables, then progressively add vertices to the set S . All variables in $\text{vbl}(S)$ are considered *unset*; for example, conditioning on “ $\text{vbl}(E(v)) \setminus \text{vbl}(S)$ ” means keeping ϕ 's assignment to $\text{vbl}(E(v)) \setminus \text{vbl}(S)$ and *resampling* $\text{vbl}(S)$ according to their distribution.

$$B(S, v) : \left[\Pr[E(v) \mid \text{vbl}(E(v)) \setminus \text{vbl}(S)] \geq (ed)^{-\lambda/2} \right],$$

$$B(v) : \left[\bigcup_{S \subset N^r(v), |S| \leq \mu^r} B(S, v) \right].$$

In other words, $B(S, v)$ is the event that, if we *were* to resample $\text{vbl}(S)$, the probability that $E(v)$ occurs is at least $(ed)^{-\lambda/2}$. The event $B(v)$ occurs if it is *possible* to find a subset S of cardinality at most μ^r such that $B(S, v)$ occurs.

We can now consider the probability that these events occur, over a *randomly* selected initial total assignment ϕ .

$$\Pr_{\phi}[B(S, v)] \leq \frac{\Pr_{\phi}[E(v)]}{\Pr_{\phi}[E(v) \mid B(S, v)]} \leq \frac{(ed)^{-\lambda}}{(ed)^{-\lambda/2}} = (ed)^{-\lambda/2} \leq (ed)^{-(\mu^r + \lambda')}.$$

By a union bound over the $|N^r(v)|^{\mu^r} \leq d^{\mu^r}$ choices of S ,

$$\Pr_{\phi}[B(v)] \leq \sum_S \Pr_{\phi}[B(S, v)] < (ed)^{-\lambda'}.$$

Intuitively, $B(v)$ is the event that $E(v)$ is *too close* to happening. That is, relatively few variables need to be resampled to give $E(v)$ a likely probability of happening. Lemma 8 shows that the criterion for infection “ $\widehat{\deg}_S(v) > \mu$ ” is a good proxy for the harder-to-analyze criterion “ $E(v)$ is too close to happening”.

Lemma 8. *Fix a total variable assignment ϕ . Let S be any vertex set such that, for each vertex v , if $B(v)$ occurs under ϕ or $\widehat{\deg}_S(v) > \mu$, then v must be in S . Then $\Pr[E(v) \mid \text{vbl}(E(v)) \setminus \text{vbl}(S)] < (ed)^{-\lambda/2}$ for each vertex v .*

Proof. If $v \in S$, then the probability of seeing $E(v)$ after resampling $\text{vbl}(S)$ is, according to the original LLL criterion, at most $p < (ed)^{-\lambda}$. In what follows we assume $v \notin S$.

To prove the lemma, it suffices to show that there exists a vertex set S' such that (i) $S' \subset N^r(v)$, (ii) $|S'| \leq \mu^r$, and (iii) $\text{vbl}(S') \cap \text{vbl}(E(v)) = \text{vbl}(S) \cap \text{vbl}(E(v))$. Notice that (iii) implies that resampling $\text{vbl}(S')$ is equivalent to resampling $\text{vbl}(S)$ from v 's point of view. Since $v \notin S$, by

assumption, event $B(v)$ does not occur. Since $|S'| \leq \mu^r$, event $B(S', v)$ does not occur. Hence $\Pr[E(v) \mid \text{vbl}(E(v)) \setminus \text{vbl}(S')] < (ed)^{-\lambda/2}$, as desired.

Root the tree at v . We call a vertex $u \in S$ “highest” if u is in $N^r(v)$ and no ancestor of u is in S . If H is the set of highest vertices, then $\text{vbl}(S) \cap \text{vbl}(E(v)) = \text{vbl}(H) \cap \text{vbl}(E(v))$, so we only need to bound $|H|$ by μ^r . Suppose, for the sake of contradiction, that $|H| \geq \mu^r + 1$. Define the path $(v = v_0, v_1, \dots, v_r)$ by selecting v_i as the child of v_{i-1} that maximizes the number of vertices in H contained in the subtree rooted at v_i . We prove by induction that the subtree rooted at v_i contains at least $\mu^{r-i} + 1$ H -vertices. The base case $i = 0$ holds by assumption. If there are $\mu + 1$ subtrees of v_i containing H -vertices, then v_i would be infected. Thus, by the pigeonhole principle, the number of H -vertices in the subtree rooted at v_{i+1} must be at least $\lceil (\mu^{r-i} + 1)/\mu \rceil = \mu^{r-(i+1)} + 1$. Hence the subtree rooted at v_r contains $\mu^0 + 1 = 2$ H -vertices; this is a contradiction since the only vertex in this subtree eligible to be in H is v_r itself. \square

4.4 Contagion Process

A (q_0, r, μ) -contagion process on an n -vertex tree T is played out as follows. Initially, each vertex is infected with probability q_0 , and these events are independent for vertices at distance greater than r . If S is the set of infected vertices at some time and $\widehat{\text{deg}}_S(v) > \mu$, then v becomes infected. In this section our goal is, given the initially infected vertices, to compute a superset of those vertices that is *stable* and *small*.

Definition 2. Let S_0 be the initially infected vertices and $S \supset S_0$.

- S is called *stable* if it causes no more infection.
- S is called *small* if each connected component induced by $\bigcup_{v \in S} N^r(v)$ contains a distance- $2r$ dominating set of size at most $O(\log n)$.

In Lemma 9, we show that one can efficiently compute a set S that is both *stable* and *small*.

Lemma 9. Consider a (q_0, r, μ) -contagion process played on an n -vertex tree T with maximum degree Δ . There is a **RandLOCAL** algorithm that computes a small stable set S in $O(\log_\mu \log n)$ time, where r is constant, $q_0 \leq (ed)^{-8r}$, $d = \Delta^r$, and $\mu \geq 4$.

The proof of Lemma 9 is deferred to Section 4.5. Lemma 10 connects the contagion problem to finding a good partial assignment.

Lemma 10. Suppose there is a τ -round **RandLOCAL** algorithm for finding a small stable set S for a $((ed)^{-\lambda}, r, \mu)$ -contagion process. Then there exists a $(\tau + O(1))$ -round **RandLOCAL** algorithm for finding a good partial assignment ϕ to a tree-structured LLL instance with criterion $p(ed)^\lambda < 1$, where $\lambda \geq 2(\mu^r + \lambda')$.

Proof. Let $q_0 = (ed)^{-\lambda}$. Consider the (q_0, r, μ) -contagion process defined by choosing a random assignment ϕ' to the variables in the LLL system and initially infecting all vertices v such that $B(v)$ occurs. The lower bound on λ implies $\Pr[B(v)] \leq q_0 = (ed)^{-\lambda}$. Given the small stable set S , we let ϕ be the result of unassigning all variables in $\text{vbl}(S) = \bigcup_{v \in S} \text{vbl}(E(v)) = \bigcup_{v \in S} \bigcup_{u \in N^{r/2}(v)} \mathcal{V}(u)$.

We now verify that ϕ is a good partial assignment. Since S is stable, for each vertex v , if $B(v)$ occurs under ϕ or $\widehat{\text{deg}}_S(v) > \mu$, then v must be in S . By Lemma 8, $\Pr[E(v) \mid \text{vbl}(E(v)) \setminus \text{vbl}(S)] < (ed)^{-\lambda/2} < \sqrt{p}$ for each vertex v , and so Definition 1(1,3) are satisfied. Let $V' = \bigcup_{v \in S} N^r(v)$ be the set of all vertices v such that $\text{vbl}(E(v))$ contains some unassigned variables. Since S is small, each connected component C induced by V' contains a distance- $2r$ dominating set with size at most $O(\log n)$. Since $2r = O(1)$, the cardinality of C is at most $\text{poly}(\Delta) \cdot O(\log n)$. Hence Definition 1(2) is also satisfied. \square

We are now in a position to prove Lemma 7. Recall that the LLL criterion of in Lemma 7 is $\lambda \geq 2(4^r + 8r)$. We pick the largest *even* integer μ such that $\lambda \geq 2(\mu^r + 8r)$, and we set $\lambda' = 8r$. Notice that $\mu \geq 4$ and $\log \mu = \Theta(\log \lambda)$. By Lemma 9, a small stable set S for the $((ed)^{-8r}, r, \mu)$ -contagion process can be computed in $O(\log_\mu \log n) = O(\log_\lambda \log n)$ time. By Lemma 10, this implies a $O(\log_\lambda \log n)$ -time RandLOCAL algorithm to finding a good partial assignment ϕ under the LLL criterion $p(ed)^\lambda < 1$.

4.5 Finding a Small Stable Set

We prove Lemma 9 in this section. The algorithm for Lemma 9 simulates a more virulent contagion process for τ steps using threshold $\mu/2$ rather than μ , then simulates a reverse-contagion for τ steps, where vertices become *uninfected* if they were not initially infected and they have nearby infected vertices in at most μ subtrees. We prove that when $\tau = \Theta(\log_\mu \log n)$, the final infected set $S = L_\tau$ is both stable and small. This process is called **Find-Small-Stable-Set**. The sets generated by this process satisfy that $U_0 \subseteq \dots \subseteq U_\tau = L_0 \supseteq \dots \supseteq L_\tau$.

Find-Small-Stable-Set.

- (1) $U_0 \leftarrow \{u \in V \mid u \text{ is initially infected}\}$. That is, $u \in U_0$ if $B(u)$ occurs initially.
- (2) For $1 \leq i \leq \tau$, do $U_i \leftarrow U_{i-1} \cup \{u \in V \mid \widehat{\deg}_{U_{i-1}}(u) > \mu/2\}$.
- (3) $L_0 \leftarrow U_\tau$.
- (4) For $1 \leq i \leq \tau$, do $L_i \leftarrow L_{i-1} \setminus \{u \in L_{i-1} \setminus U_0 \mid \widehat{\deg}_{L_{i-1}}(u) \leq \mu\}$.
- (5) Return L_τ .

We show that $S = L_\tau$ is stable in Lemma 15. Let $L_{\tau+1}$ be the set of all vertices u such that $\widehat{\deg}_{L_\tau}(u) > \mu$. Our goal is to show that if $u \notin L_\tau$, then $\deg_{L_\tau}(u) \leq \mu$ (i.e., $u \notin L_{\tau+1}$) with high probability.

Root T at an arbitrary vertex, and let T' refer to the rooted version. Define T'_u to be the subtree of T' rooted at u , and define $C'_u(k, [i, j])$ as $C_u(k, [i, j]) \cap T'_u$. Given a vertex set W , define $\deg'_W(u)$ as the number of different k such that $C'_u(k, [1, r]) \cap W \neq \emptyset$. Although the original contagion process is played on T , it is easier to analyze a similar process played on T' , where only descendants can cause a vertex to become infected.

In general, if $\{X(u)\}_{u \in V}$ is an ensemble of events associated with vertices and W a subset of vertices, we write $X(W)$ to denote the event $\bigcup_{u \in W} X(u)$, i.e., there exists $u \in W$ such that $X(u)$ occurs. We write X to denote the set of vertices $\{u \in V \mid X(u) \text{ occurs}\}$. For any two events A and B , we write $A \Rightarrow B$ to denote $A \subseteq B$, i.e., A implies B . With respect to a vertex u , consider the following three sequences of events.

- $(F_i(u))$: for each $0 \leq i \leq \tau$, let $F_i(u)$ be $(u \notin U_i) \wedge (u \in L_{i+1})$.
- $(H_i(u))$: let $H_0(u)$ be $(u \in U_0)$; for each $0 \leq i < \tau$, let $H_{i+1}(u)$ be $H_0(u) \vee (\deg'_{H_i}(u) \geq \mu/2)$.
- $(\tilde{F}_i(u))$: let $\tilde{F}_0(u)$ be $H_\tau(u)$; for each $0 \leq i < \tau$, let $\tilde{F}_{i+1}(u)$ be $\deg'_{\tilde{F}_i}(u) \geq \mu/2$.

Lemma 11. *No vertex can belong to both $U_\tau \setminus L_\tau$ and $L_{\tau+1}$.*

Proof. Suppose there were such a vertex u . If $u \in L_{\tau+1}$ then it must have more than μ neighbors in L_τ , which were also in $L_{\tau-1} \subseteq \dots \subseteq L_0 = U_\tau$. But if $u \in U_\tau$ then it would also remain in L_0, \dots, L_τ , contradicting the assumption that $u \in U_\tau \setminus L_\tau$. \square

By Lemma 11, to prove that $S = L_\tau$ is stable, it suffices to prove that

$$\Pr[F_\tau(u)] = \Pr[(u \notin L_\tau) \wedge (u \in L_{\tau+1})] = 1/\text{poly}(n).$$

Lemma 12 connects the true contagion process on T to an imagined one played on T' .

Lemma 12. *For each vertex u in T , and for each $0 \leq i \leq \tau$, we have $F_i(u) \Rightarrow \tilde{F}_i(u)$.*

Proof. We first show that $(u \in U_i) \Rightarrow H_i(u)$, for each $0 \leq i \leq \tau$. The base case ($i = 0$) follows from the definition of $H_0(u)$. Assume by inductive hypothesis that $(u \in U_{i-1}) \Rightarrow H_{i-1}(u)$. We have:

$$(u \in U_i \setminus U_0) \Rightarrow \left(\widehat{\deg}_{U_{i-1}}(u) > \mu/2\right) \Rightarrow \left(\deg'_{U_{i-1}}(u) \geq \mu/2\right) \Rightarrow \left(\deg'_{H_{i-1}}(u) \geq \mu/2\right).$$

This implies $(u \in U_i) \Rightarrow H_i(u)$, since $(u \in U_0) \Rightarrow H_0(u) \Rightarrow H_i(u)$.

Next, we prove by induction that $F_i(u) \Rightarrow \tilde{F}_i(u)$, for each $0 \leq i \leq \tau$. The base case $i = 0$ follows from the above result:

$$F_0(u) \Rightarrow (u \in L_1) \Rightarrow (u \in L_0 = U_\tau) \Rightarrow H_\tau(u) \Rightarrow \tilde{F}_0(u).$$

Assume inductively that $F_{i-1}(u) \Rightarrow \tilde{F}_{i-1}(u)$. Let u be any vertex in $L_{i+1} \setminus U_i$, i.e., the event $F_i(u)$ occurs. Since $u \notin U_i \supseteq U_0$, the only way Find-Small-Stable-Set could put $u \in L_{i+1} \setminus U_i$ is if

$$\begin{aligned} \widehat{\deg}_{L_i}(u) &> \mu \\ \text{and } \widehat{\deg}_{U_{i-1}}(u) &\leq \mu/2, \end{aligned}$$

which implies

$$\widehat{\deg}_{F_{i-1}}(u) = \widehat{\deg}_{L_i}(u) - \widehat{\deg}_{U_{i-1}}(u) > \mu/2.$$

and hence

$$\deg'_{F_{i-1}}(u) \geq \mu/2.$$

By inductive hypothesis, we have

$$\left(\deg'_{F_{i-1}}(u) \geq \mu/2\right) \Rightarrow \left(\deg'_{\tilde{F}_{i-1}}(u) \geq \mu/2\right) \Rightarrow \tilde{F}_i(u),$$

which completes the induction. \square

For brevity, define $p_i = \max_u \Pr[\tilde{F}_i(u)]$ and $q_i = \max_u \Pr[H_i(u)]$. We prove two auxiliary lemmas.

Lemma 13. $p_\tau \leq (\Delta^{2((r^2/2)+1)} p_0)^{(\frac{\mu}{2})^{\tau/(r/2)}}$.

Proof. Suppose that u is a vertex such that $\tilde{F}_i(u)$ occurs. Then, by definition of $\tilde{F}_i(u)$, there exist $\mu/2$ different indices k such that $\tilde{F}_{i-1}(C'_u(k, [1, r]))$ occurs. A consequence of this observation is that

$$\tilde{F}_{i-1}(C'_u(k, [1, r])) \Rightarrow \tilde{F}_{i-2}(C'_u(k, [2, 2r])) \Rightarrow \tilde{F}_{i-3}(C'_u(k, [3, 3r])) \cdots \Rightarrow \tilde{F}_{i-(r/2)}(C'_u(k, [r/2, r^2/2])).$$

Therefore, if $\tilde{F}_i(u)$ occurs, there must exist $\mu/2$ indices k such that $\tilde{F}_{i-(r/2)}(C'_u(k, [r/2, r^2/2]))$ occurs. The $\mu/2$ events $\{\tilde{F}_{i-(r/2)}(C'_u(k, [r/2, r^2/2]))\}$ are independent, since $\tilde{F}_i(v)$ depends only on

$\text{vbl}(T'_v) = \bigcup_{w \in N^{r/2}(v) \cup T'_v} \mathcal{V}(w)$. This independence property is one reason why it is easier to analyze a contagion on T' rather than T .

By a union bound over all vertices in $C'_u(k, [r/2, r^2/2])$, we have

$$\Pr[\tilde{F}_{i-(r/2)}(C'_u(k, [r/2, r^2/2]))] \leq \Delta^{r^2/2-1} p_{i-(r/2)}.$$

Taking a union bound over at most $\binom{\Delta}{\mu/2}$ choices of $\mu/2$ distinct indices k , we infer that

$$p_i \leq \Delta^{\mu/2} (\Delta^{r^2/2-1} p_{i-(r/2)})^{\mu/2} \leq (\Delta^{(r^2/2)}) p_{i-(r/2)}^{\mu/2}$$

for each $r/2 \leq i \leq \tau$. Assume τ is a multiple of $r/2$, and recall $\mu/2 \geq 2$. We can bound p_τ as follows.

$$p_\tau \leq p_0^{\binom{\mu}{2} \tau / (r/2)} \cdot \prod_{j=1}^{\tau / (r/2)} \left(\Delta^{(r^2/2)} \right)^{\binom{\mu}{2} j} \leq (\Delta^{r^2} p_0)^{\binom{\mu}{2} \tau / (r/2)}. \quad \square$$

Lemma 14. $p_0 = q_\tau \leq \Delta^{r/2} q_0$.

Proof. Recall that $H_i(u)$ is $(u \in H_0) \vee (\deg'_{H_{i-1}}(u) \geq \mu/2)$. This implies that

$$H_{i-1}(C'_u(k, [1, r])) \Rightarrow H_0(C'_u(k, [1, r])) \vee H_{i-2}(C'_u(k, [2, 2r])).$$

Repeating this $(r/2) - 1$ times, $H_{i-1}(C'_u(k, [1, r]))$ implies that

$$H_0(C'_u(k, [1, r(r/2 - 1)])) \vee H_{i-(r/2)}(C'_u(k, [r/2, r^2/2])).$$

Since $H_0(C'_u(k, [1, r(r/2 - 1)])) \Rightarrow H_{i-(r/2)}(C'_u(k, [r/2, r^2/2]))$, we conclude that

$$H_{i-1}(C'_u(k, [1, r])) \Rightarrow H_0(C'_u(k, [1, r/2 - 1])) \vee H_{i-(r/2)}(C'_u(k, [r/2, r^2/2])).$$

Thus, if $H_i(u)$ occurs, then either (i) $H_0(N^{r/2-1}(u))$ occurs, or (ii) there exist $\mu/2$ different indices k such that $H_{i-(r/2)}(C'_u(k, [r/2, r^2/2]))$ occurs. The events $H_{i-(r/2)}(C'_u(k, [r/2, r^2/2]))$ for all k are independent, since $H_i(v)$ depends only on $\text{vbl}(T'_v) = \bigcup_{w \in N^{r/2}(v) \cup T'_v} \mathcal{V}(w)$.

By a union bound, $\Pr[H_{i-(r/2)}(C'_u(k, [r/2, r^2/2]))] \leq \Delta^{r^2/2-1} q_{i-(r/2)}$. Suppose that τ is a multiple of $r/2$. Taking a union bound over at most $\binom{\Delta}{\mu/2}$ choices of $\mu/2$ distinct indices k , we have

$$\begin{aligned} q_\tau &\leq \Pr[H_0(N^{r/2-1}(u))] + \binom{\Delta}{\mu/2} \cdot \Delta^{r^2/2-1} q_{\tau-(r/2)} \\ &\leq \Delta^{r/2-1} q_0 + \Delta^{\mu/2} (\Delta^{r^2/2-1} q_{\tau-(r/2)})^{\mu/2} \\ &\leq \Delta^{r/2-1} q_0 + (\Delta^{r^2/2} q_{\tau-(r/2)})^{\mu/2} \\ &\leq \Delta^{r/2-1} q_0 + q_0^{\binom{\mu}{2} \tau / (r/2)} \cdot \prod_{j=1}^{\tau / (r/2)} \left(\Delta^{r^2/2} \right)^{\binom{\mu}{2} j} \\ &\leq \Delta^{r/2-1} q_0 + \left(\Delta^{2(r^2/2)} q_0 \right)^{\binom{\mu}{2} \tau / (r/2)} \quad (\mu/2 \geq 2) \\ &\leq \Delta^{r/2-1} q_0 + \left(\Delta^{2(r^2/2)} q_0 \right)^2 \quad ((\mu/2)^{\tau / (r/2)} \geq 2) \\ &\leq \Delta^{r/2-1} q_0 + \Delta^{4(r^2/2) - 8r^2} q_0 \quad (q_0 \leq (ed)^{-8r} \text{ and } d = \Delta^r) \\ &\leq \Delta^{r/2} q_0. \quad \square \end{aligned}$$

We are now ready to prove that $S = L_\tau$ is stable.

Lemma 15. *For each vertex $u \notin L_\tau$, $\widehat{\deg}_{L_\tau}(u) \leq \mu$ with high probability, and so L_τ is stable.*

Proof. It suffices to show that $\Pr[F_\tau(u)] = 1/\text{poly}(n)$. By Lemma 12, $\Pr[F_\tau(u)] \leq \Pr[\tilde{F}_\tau(u)] = p_\tau$. We show that $p_\tau = 1/\text{poly}(n)$.

$$\begin{aligned}
p_\tau &\leq (\Delta^{r^2} p_0)^{(\frac{\mu}{2})^{\tau/(\tau/2)}} && \text{(Lemma 13)} \\
&\leq (\Delta^{r^2+r/2} q_0)^{(\frac{\mu}{2})^{\tau/(\tau/2)}} && \text{(Lemma 14)} \\
&\leq (\Delta^{r^2+r/2-8r^2})^{(\frac{\mu}{2})^{\tau/(\tau/2)}} && (q_0 \leq (ed)^{-8r} \text{ and } d = \Delta^r) \\
&\leq (\Delta^{-27})^{(\frac{\mu}{2})^{\tau/(\tau/2)}} && (r \geq 2) \\
&\leq (\Delta^{-27})^{\Theta(\log n)} && (\tau = \Theta(\log_\mu \log n) \text{ and } r = O(1)) \\
&\leq 1/\text{poly}(n). && \square
\end{aligned}$$

In Lemma 17 we prove that U_τ is small, which implies that $S = L_\tau \subseteq U_\tau$ is also small. We write $T^{[a,b]}$ to denote the graph defined by the vertex set $V(T)$ and the edge set $\{\{u,v\} \mid \text{dist}_T(u,v) \in [a,b]\}$. We first prove an auxiliary lemma.

Lemma 16. *Fix a $c \geq 1$. With probability $1 - n^{-\Omega(c)}$, the graph $H = T^{[r+1,4r]}$ has no connected subgraph D such that (i) $|D| \geq c \log n$, and (ii) there is a subset $D' \subseteq D \cap U_0$ containing at least half of the vertices in D , and $\text{dist}_T(u,v) > r$ for distinct $u, v \in D'$.*

Proof. The proof is similar to that of [7, Lemma 3.3]. Suppose that such D exists, and consider a tree \hat{T} in H spanning D . There are at most $4^{c \log n}$ different rooted unlabeled $c \log n$ -node trees; and each of them can be embedded into H in less than $n \cdot \Delta^{4r(c \log n - 1)}$ ways. Moreover, there are at most $2^{c \log n}$ ways of selecting a subset $D' \subseteq D$. Since $|D'| \geq c \log n / 2$ and $\text{dist}_T(u,v) > r$ for distinct $u, v \in D'$, the probability that such \hat{T} exists is at most $q_0^{c \log n / 2}$.

Recall that $q_0 \leq (ed)^{-8r}$, $d = \Delta^r$, $r \geq 2$, and $\Delta \geq 3$. A union bound over all possibilities of \hat{T} implies that such D exists with probability at most

$$\begin{aligned}
p' &= 4^{c \log n} \cdot n \cdot \Delta^{4r(c \log n - 1)} \cdot 2^{c \log n} \cdot q_0^{c \log n / 2} \\
&\leq n^{3c+1} \Delta^{-4c(r^2-r) \log n} e^{-4cr \log n} \\
&\leq n^{(4-4(r^2-r) \log \Delta - 4 \log e)c} \\
&\leq n^{-14c}. && \square
\end{aligned}$$

Lemma 17. *With high probability, each connected component in the subgraph of T induced by $\bigcup_{v \in U_\tau} N^r(v)$ contains a distance- $2r$ dominating set of size at most $O(\log n)$, and so U_τ is small.*

Proof. Let C be any connected component induced by $\bigcup_{v \in U_\tau} N^r(v)$. We pick a distance- $2r$ dominating set D of C greedily, preferring vertices in U_0 over U_1 , and U_1 over U_2 , etc. Each time a vertex v is picked we remove from consideration all vertices in $N^r(v)$. Recall that $U_0 \subseteq \dots \subseteq U_\tau$. The set D is obviously a distance- r dominating set of $U_\tau \cap C$. Since $U_\tau \cap C$ is itself a distance- r dominating set of C , the set D is a distance- $2r$ dominating set of C .

We write u_i to denote the i th vertex added to D , and define $D_i = \{u_1, \dots, u_i\}$. Let m_i denote the number of connected components induced by D_i in the graph $T^{[r+1,2r]}$ (rather than T). We claim that if $u_i \notin U_0$, then $m_i < m_{i-1}$. This implies that at least half of the vertices in D belong

to U_0 . Observe that the set D is connected in $H = T^{[r+1, 4r]}$ (since D is a distance- $2r$ dominating set of C), and so by Lemma 16, $|D| = O(\log n)$ with high probability.

We prove the above claim in the remainder of the proof. Consider the moment some $u_i \notin U_0$ is added to D . We will show that the connected component of D_i in the graph $T^{[r+1, 2r]}$ that contains u_i is formed by merging u_i with at least two connected components of D_{i-1} in the graph $T^{[r+1, 2r]}$.

The algorithm Find-Small-Stable-Set added u_i to U_j because u_i had at least $\mu/2 \geq 2$ subtrees containing U_{j-1} -vertices that are within $N^r(u_i)$. Let T_1 and T_2 be any two such subtrees. For each $k = 1, 2$, let v_k be a U_{j-1} -vertex contained in both T_k and $N^r(u_i)$. Then there must be a vertex $w_k \in N^r(v_k)$ such that w_k has been already added to D , since otherwise the greedy algorithm should prefer v_k over u_i . Observe that w_1 and w_2 belong to separate connected components of D_{i-1} in the graph $T^{[r+1, 2r]}$, since $u_i \notin N^r(w_1) \cup N^r(w_2)$; but w_1, w_2 , and u_i are in the same component of D_i in the graph $T^{[r+1, 2r]}$, since $w_k \in N^r(v_k) \subseteq N^{2r}(u_i)$, for both $k = 1, 2$. \square

We have proven (Lemmas 15 and 17) that the algorithm Find-Small-Stable-Set computes a set $S = L_\tau$ that is *stable* and *small*, in $O(\log_\mu \log n)$ time. Lemma 10 shows that any such algorithm can be used to find a *good* partial assignment to the variables in any tree-structured LLL instance with $p(ed)^\lambda < 1$ and $\lambda \geq 2(4^r + 8r)$.² The *stability* criterion is used to show that the derived LLL instances satisfy $p'(ed)^{\lambda/2} < 1$ and $p' = \sqrt{p}$. The *smallness* criterion implies that the instances have size $\text{poly}(\Delta) \log n$ and $\log n$ -size, distance- $O(1)$ dominating sets. Because $\log \mu = \Theta(\log \lambda)$, the time to find the good partial assignment is $O(\log_\lambda \log n)$.

5 Network Decomposition of Trees

Our interest in network decompositions stems from Lemma 6 due to [20], which shows that they imply non-trivial *deterministic* LLL algorithms. Most work on network decompositions [38] has focussed on arbitrary graphs.

Recall that a (λ, γ) -network decomposition is a partition of the vertices into λ parts V_1, \dots, V_λ such that each V_i induces connected components with diameter at most γ . We define a $(\lambda_1, \gamma_1, \lambda_2, \gamma_2)$ -network decomposition to be a partition of the vertices into $\lambda_1 + \lambda_2$ parts $V_1, \dots, V_{\lambda_1}, U_1, \dots, U_{\lambda_2}$ such that each V_i (resp. U_i) induces connected components with diameter γ_1 (resp. γ_2).

In this section we give two network decomposition algorithms for T^k where $T = (V, E)$ is an n -vertex tree that contains a distance- d dominating set S of size s . In our application d and k are constants. We assume all vertices agree on the numbers (d, k, s) . We *do not* need a specific dominating set S be given as an input.

5.1 A Simple Network Decomposition

We first design a simple decomposition that partitions any tree-structured graph T^k into 2 parts.

Theorem 6. *Let T be a tree containing a distance- d dominating set of size s . There is a DetLOCAL algorithm \mathcal{A} that computes a $(2, O(\log s + d/k))$ -network decomposition of T^k in $O(k \log s + d + k \log^* n)$ time, i.e., $O(\log s + \log^* n)$ time when $d, k = O(1)$.*

In what follows we prove Theorem 6. We assume the underlying communications network is T rather than T^k . Consider the following two tree operations. They are similar to the ones described

²It is possible to replace $2(4^r + 8r)$ with $2(4^r + cr)$ for some smaller c , but not too small. We do not attempt to optimize this coefficient.

in [11], which are inspired by Miller and Reif [34]. The second operation is parameterized by an integer $\ell \geq 2$. In our application we set $\ell = \Theta(k)$.

Rake: Remove all leaves and isolated vertices.

Compress: Remove all vertices that belong to some path P such that (i) all vertices in P have degree at most 2, and (ii) the number of vertices in P is at least ℓ .

Let \mathcal{A}' be the algorithm on the tree T defined as follows. (1) Do $3d + 1$ Rake operations; (2) repeat the following sequence $\log s$ times: perform one Compress and $\ell - 1$ Rake operations.

Lemma 18. *Algorithm \mathcal{A}' removes all vertices in T .*

Proof. Let S be any size- s distance- d dominating set of T . Root T at an arbitrary vertex and let $\text{size}(v)$ be the number of vertices in the subtree rooted at v that belong to S . For any vertex $v \in V$, we prove by induction that (i) if $\text{size}(v) \leq 1$, then v is removed in Step (1) of \mathcal{A}' , and (ii) if $1 < \text{size}(v) \leq 2^i$, then v is removed on or before the i th iteration of Step (2) of \mathcal{A}' .

For the case $\text{size}(v) \leq 1$, the height of the subtree rooted at v is at most $3d$, and so the entire subtree (including v) must be removed after $3d + 1$ Rake operations. Consider the case $2^{i-1} < \text{size}(v) \leq 2^i$. By the inductive hypothesis, all vertices u with $\text{size}(u) \leq 2^{i-1}$ have been removed before the i th iteration of Step (2). With respect to the vertex v , define V' to be the set of all vertices u such that (i) $\text{size}(u) > 2^{i-1}$, and (ii) u is in the subtree rooted at v . The set V' induces a path with one endpoint at v , since otherwise $\text{size}(v) > 2 \cdot 2^{i-1} = 2^i$. Let C be a connected component induced by vertices in V' that are not removed yet. If $|C| \geq \ell$, then all vertices in C are removed after 1 Compress. Otherwise, all vertices in C are removed after $\ell - 1$ Rake operations. \square

To compute a $(2, O(\log s + d/k))$ -network decomposition of T^k , it suffices to compute a partition $V = V_1 \cup V_2$ meeting the following two conditions.

- (C1) For both labels $c \in \{1, 2\}$, any two vertices u and v in two distinct connected components of V_c must have $\text{dist}_T(u, v) > k$. This guarantees that the set of connected components of V_c remains unaltered if we change the underlying graph from T to T^k .
- (C2) For both labels $c \in \{1, 2\}$, each connected component of V_c has diameter at most $O(k \log s + d)$. This implies the diameter upper bound of $O(\log s + d/k)$ when the underlying graph is T^k .

Recall that \mathcal{A}' performs $L_r = (3d + 1) + (\ell - 1) \log s$ Rake and $L_c = \log s$ Compress operations; let $L = L_r + L_c = (3d + 1) + \ell \log s$. We write U_i to denote the set of all vertices that are removed during the i th operation. We are now in a position to present the algorithm \mathcal{A} . The algorithm \mathcal{A} begins by computing the decomposition $V = \bigcup_{i=1}^L U_i$ using \mathcal{A}' . Then, for $i = L$ down to 1, label all vertices $v \in U_i$ by $\{1, 2\}$ as follows.

Case 1. If the i th operation is Rake, then label U_i as follows. Let $v \in U_i$. For the case that v is of degree-1 in the subgraph induced by $\bigcup_{j=i}^L U_j$, let u be the unique neighbor of v in $\bigcup_{j=i}^L U_j$. If $u \notin U_i$, then v adopts the same label as u . Otherwise, $u \in U_i$ must also be of degree-1 in $\bigcup_{j=i}^L U_j$, and we label both u and v the same by any $c \in \{1, 2\}$. For the case that v is an isolated vertex of $\bigcup_{j=i}^L U_j$, we label v by any $c \in \{1, 2\}$.

Case 2. If the i th operation is **Compress**, then label U_i as follows. Let P be a path that is a connected component of U_i . The number of vertices in P is at least $\ell = \Theta(k)$. Compute a labeling of the vertices in P meeting the following conditions: (i) each connected component induced by vertices of the same label has size within $[k, 7k]$, (ii) if v is an endpoint of P that is adjacent to a vertex $u \in \bigcup_{j=i+1}^L U_j$, then the label of v is the same as the label of u .

Such a labeling of P can be computed in $O(k)$ time if we are given an independent set I of P such that each connected component of $P \setminus I$ has size within $[3k, 6k]$, i.e., I is a $(3k+1, 3k)$ -ruling set. Suppose that we already have such a set I . For each $v \in I$, we find an arbitrary subpath $P_v \subseteq P$ that contains v and has exactly k vertices. All vertices in $\bigcup_{v \in I} P_v$ are labeled 1, and the remaining vertices in P are labeled 2. At this moment, each connected component induced by vertices of label 1 has size k , and each connected component induced by vertices of label 2 has size within $[k, 6k]$. If there is a component C violating Condition (ii) of the previous paragraph, we flip the label of all vertices in C (i.e., from 1 to 2 or from 2 to 1). If $\ell \geq ck$ for some large enough universal constant c , then we obtain a labeling satisfying both Condition (i) and Condition (ii).

The computation of the independent set I can be done in $O(k \log^* n)$ time, as we explain below. Suppose that we have an independent set I' of P such that each connected component of $P \setminus I'$ has size within $[\alpha, 2\alpha]$. We show that in $O(\alpha \log^* n)$ time we can compute an independent set I'' of P such that each connected component of $P \setminus I''$ has size within $[\beta, 2\beta]$, for any prescribed number $\beta \leq 2\alpha + 1$. Let \tilde{P} be the “imaginary path” formed by contracting all vertices in $P \setminus I'$. A maximal independent set \tilde{I} of \tilde{P} can be computed in $O(\alpha \log^* n)$ time. At this point, each connected component C of $P \setminus \tilde{I}$ has size within $[2\alpha + 1, 4\alpha + 2]$. The component size constraint $[\beta, 2\beta]$ can be met by adding new vertices to \tilde{I} to subdivide the oversized components. The desired independent set I can be computed by $\log k$ iterated applications of the above procedure, and the runtime is $\sum_{i=1}^{\log k} O(2^i \log^* n) = O(k \log^* n)$.

Time Complexity. The total running time of \mathcal{A} is $O(L_r + kL_c) + O(k \log^* n) = O(k \log s + d + k \log^* n)$, since the independent set computation of paths removed by **Compress** operation can be computed in $O(k \log^* n)$ time *in parallel*.

Validity of Labeling. We now verify that the labeling resulting from \mathcal{A} satisfies the two conditions (C1) and (C2). Consider two distinct connected components C and C' induced by V_1 . In view of Case 2 of algorithm \mathcal{A} , any path P' connecting a vertex in C and a vertex in C' in T must contain a subpath P'' consisting of k vertices in V_2 . The same is true if we swap V_1 and V_2 , and so (C1) holds. Consider a connected component C by V_1 or V_2 . Let i^* be the largest index i such that $U_i \cap C \neq \emptyset$, and let v^* be any vertex in $C \cap U_{i^*}$. We show that for any vertex $u \in C$, the unique path P connecting u and v^* in T contains $O(L_r + kL_c) = O(k \log s + d)$ vertices, and so (C2) holds. Consider any index $i \in [1, i^*]$. If the i th operation is **Rake**, then we have $|P \cap U_i| \leq 2$ (in view of Case 1). If the i th operation is **Compress**, then we have $|P \cap U_i| \leq 7k$ (in view of Case 2). Thus, indeed $|P| = O(L_r + kL_c)$.

5.2 A Mixed-diameter Network Decomposition

In this section we show how to compute a network decomposition where, for any parameter λ , one part has diameter roughly $\log_\lambda s$ and the remaining graph is properly $O(\lambda^2)$ -colored, i.e., they form $O(\lambda^2)$ parts with diameter zero.

Theorem 7. *Let T be a tree containing a distance- d dominating set of size s . There is a DetLOCAL algorithm \mathcal{A} that computes a $(1, O(\log_{\lambda/k} s + (d/k)), O(\lambda^2), 0)$ -network decomposition of T^k in*

$O(k \log_{\lambda/k} s + d + k \log^* n)$ time, where $\lambda = \Omega(k)$ is sufficiently large, i.e., $\lambda \geq ck$ for some universal constant c . When $k, d = O(1)$ the time bound is $O(\log_{\lambda} s + \log^* n)$.

In what follows we prove Theorem 7. We write T_i to denote the set of vertices that are not removed during the first $i - 1$ tree operations. Consider the following two tree operations.

Rake: Remove all leaves and isolated vertices.

Compress: Remove all vertices v such that $|N^{2.5k}(v) \cap T_i| \leq \lambda$.

We set $m = \frac{\lambda}{2.5k} - 1$. Let \mathcal{A}^* be the algorithm on the tree T defined as follows. (1) Do $3d + 1$ Rake operations; (2) repeat the following sequence $\log_m s$ times: do one Compress followed by $2.5k$ Rake operations.

Lemma 19. *Algorithm \mathcal{A}^* removes all vertices in T .*

Proof. Let S be any size- s distance- d dominating set of T . Root T at an arbitrary vertex, and let $\text{size}(v)$ be the number of vertices in the subtree rooted at v that belong to S . We prove by induction that (i) if $\text{size}(v) \leq 1$, then v is removed in Step (1) of \mathcal{A}^* , and (ii) if $1 < \text{size}(v) \leq m^i$, v is removed within the first i iterations in Step (2) of \mathcal{A}^* .

For the case of $\text{size}(v) \leq 1$, the height of the subtree rooted at v is at most $3d$, and so the entire subtree (including v) must be removed after $3d + 1$ Rake operations. For the case of $m^{i-1} < \text{size}(v) \leq m^i$, we assume by induction that all vertices u with $\text{size}(u) \leq m^{i-1}$ have been removed within the first $i - 1$ iterations of Step (2). Let v be any vertex with $\text{size}(v) \in (m^{i-1}, m^i]$, and define V' as the set of all vertices u such that (i) $\text{size}(u) > m^{i-1}$, and (ii) u is in the subtree rooted at v . Notice that all descendants of v other than those in V' have been removed within the first $i - 1$ iterations of Step (2). Therefore, the set V' induces a subtree rooted at v having at most $m - 1$ leaves. For those vertices $u \in V'$ with $\text{dist}_T(u, v) \geq 2.5k$, we have $|N^{2.5k}(u) \cap T_i| \leq m(2.5k) + 1 \leq \lambda$, so they will be removed after one Compress. The rest of the vertices in V' will be removed during the next $2.5k$ Rake operations. \square

Now, we present our network decomposition algorithm \mathcal{A} . First, we run \mathcal{A}^* on T . Then, for any vertex v removed by Compress, we mark all vertices in $N^{k/2}(v)$, i.e.,

$$\mathcal{M} = \{u \mid \exists v \text{ removed by Compress, } u \in N^{k/2}(v)\}$$

is the set of all marked vertices. We let \tilde{T} be the graph defined as $V(\tilde{T}) = \mathcal{M}$, and $\{u, v\} \in E(\tilde{T})$ if $\text{dist}_T(u, v) \leq k$.

The $(1, O(k \log_{\lambda/k} s + d), O(\lambda^2), 0)$ network decomposition of T^k is computed by assigning color 0 to all unmarked vertices, and coloring the remaining vertices in \tilde{T} with $\{1, \dots, O(\lambda^2)\}$. We next show that (i) $\Delta(\tilde{T}) \leq \lambda$, and so the $O(\lambda^2)$ -coloring can be computed using Linial's algorithm [33] in $O(k \log^* n)$ time, and (ii) each connected component induced by unmarked vertices (in T^k) has diameter $O(\log_{\lambda/k} s + (d/k))$. Thus, \mathcal{A} indeed computes a $(1, O(\log_{\lambda/k} s + (d/k)), O(\lambda^2), 0)$ -network decomposition of T^k in $O(k \log_{\lambda/k} s + d + k \log^* n)$ time.

Proof of (i). For any marked vertex v , we claim that $|N^k(v) \cap \mathcal{M}| \leq \lambda$ (in T), and so $\Delta(\tilde{T}) \leq \lambda$. Let u be the first vertex marked in $N^k(v)$. The vertex u is added to \mathcal{M} due to the removal of a vertex $w \in N^{k/2}(u)$ in a Compress operation (it is possible that $u = w$). Suppose that w was removed in i^* th tree operation. Then we have $|N^{2.5k}(w) \cap T_{i^*}| \leq \lambda$. We claim that $N^k(v) \cap \mathcal{M} \subseteq N^k(v) \cap T_{i^*} \subseteq N^{2.5k}(w) \cap T_{i^*}$, and this implies $|N^k(v) \cap \mathcal{M}| \leq \lambda$, and so $\Delta(\tilde{T}) \leq \lambda$. Since the i^* th tree operation is the first iteration such that a vertex in $N^k(v)$ is marked due to the removal of another vertex during the i^* th tree operation, $N^k(v) \cap T_{i^*}$ contains all marked vertices within distance- k of v . Since $\text{dist}(v, w) \leq \text{dist}(v, u) + \text{dist}(u, w) \leq 1.5k$, we have $N^k(v) \cap T_{i^*} \subseteq N^{2.5k}(w) \cap T_{i^*}$.

Proof of (ii). The diameter of each connected component (in T) induced by the unmarked vertices is $O(k \log_{\lambda/k} s + d)$, since the total number of Rake is $O(k \log_{\lambda} s) + 3d + 1$, and all vertices removed by Compress are marked. We show that the set of connected components induced by the unmarked vertices remains the same if we change the underlying graph from T to T^k . This implies the diameter upper bound $O(\log_{\lambda/k} s + (d/k))$ when the underlying graph is T^k .

Consider any pair of unmarked vertices u and v . Notice that u and v must be removed by Rake. Suppose that u and v are not connected in T after deleting those vertices removed by Compress from T . Assume the first time they become disconnected in T is iteration i , which is due to the removal of a vertex w in Compress. Since all vertices in $N^{k/2}(w)$ are marked, the unique shortest path in T connecting u and v must have a subpath consisting of at least $2(k/2) + 1 > k$ marked vertices. Thus, u and v are also disconnected in T^k after deleting all marked vertices.

6 Deterministic Algorithms for Edge Coloring Trees

Let $T = (V, E)$ be a tree with n vertices and $N^+(v) = N(v) \cup \{v\}$ be the inclusive neighborhood of v . We decompose T using two operations inspired by Miller and Reif [34], the second of which is parameterized by an integer $k \geq 2$.

Rake: Remove all leaves and isolated vertices from T .

Compress: Remove the set $\{v \in V \mid \text{for every } u \in N^+(v), \deg_T(u) \leq k\}$ from T .

Theorem 8. *Alternately applying Compress and Rake $\log_k n + 1$ times removes all vertices from any n -vertex tree T .*

Proof. Root T at an arbitrary vertex and let $\text{size}(v)$ be the number of vertices in the subtree rooted at v . We prove by induction that if $\text{size}(v) \leq k^i$, v will be removed after the first $i + 1$ rounds of Compress and Rake. The claim is trivially true when $i = 0$. Assume the claim is true for $i - 1$. Let v be any vertex with $\text{size}(v) \in (k^{i-1}, k^i]$, and define V' to be the set of all vertices u such that (i) $\text{size}(u) \in (k^{i-1}, k^i]$ and (ii) u is in the subtree rooted at v . Notice that each vertex $u \in V'$ has $\deg_{V'}(u) \leq k$, since otherwise $\text{size}(u) > k^i$. By the inductive hypothesis, all descendants of v that are not in V' have been removed after i rounds of Compress and Rake. The $(i + 1)$ th Compress will remove any remaining vertices in $V' - \{v\}$. However, the degree of the parent of v is unbounded, so v may not be removed. If v still remains, the $(i + 1)$ th Rake will remove it. \square

Theorem 9. *There is an $O(\log_{\Delta} n)$ -time DetLOCAL algorithm for Δ -edge coloring a tree T with maximum degree $\Delta \geq 3$.*

Proof. Let β be the constant such that Linial's algorithm [33] finds a $\beta\Delta^2$ -edge coloring in $O(\log^* n - \log^* \Delta + 1)$ time. We begin by decomposing T with Compress and Rake steps, using parameter $k = \max\{2, \lfloor (\Delta/\beta)^{1/3} \rfloor\}$. Define $T_i = (V_i, E_i)$ to be the forest before the i th round of Compress and Rake, and let V_i^c and V_i^r be those vertices removed by the i th Compress and Rake, respectively.

We edge color the trees $T_{\log_k n + 1}, \dots, T_1 = T$ in this order. Given a coloring of T_{i+1} , we need to color the remaining uncolored edges in T_i . Let $u \in T_{i+1}$ be a vertex, and let $v_1, \dots, v_x \in V_i^r$ be the vertices adjacent to u removed by the i th Rake. At this point u is incident to at most $\Delta - x$ colored edges. We assign to $\{u, v_1\}, \dots, \{u, v_x\}$ any distinct available colors from their palettes.

We now turn to the vertices removed by the i th Compress. First, suppose that Δ is large enough such that $k = \lfloor (\Delta/\beta)^{1/3} \rfloor$. Let ϕ be a βk^2 -edge coloring of the (as yet uncolored) subgraph of T_i (i.e., the edges that are incident to some vertices in V_i^c). Partition the palette $\{1, \dots, \Delta\}$ into βk^2 parts $P_1, \dots, P_{\beta k^2}$. Each part has size $\Delta/(\beta k^2) \geq k$. Each $v \in V_i^c$ colors each edge $\{v, u\}$ any

available color in $P_{\phi(\{v,u\})}$. Since $\deg_{T_i}(u) \leq k$, at most $k - 1$ of its incident edges may already be colored, and so there must be at least one available color in $P_{\phi(\{v,u\})}$ for $\{v,u\}$ to use. All calls to Linial's βk^2 -edge coloring algorithm can be executed in parallel, so the overall time is $O(\log_k n + \log^* n - \log^* k) = O(\log_\Delta n)$.

When $k = 2$, the subgraph induced by $V_1^c \cup \dots \cup V_{\log_k n+1}^c$ consists of a set of paths. In $O(\log^* n)$ time, we find an *initial* 3-edge coloring of these paths. We now color $T_{\log_k n+1}, \dots, T_1$ in this order. Coloring the edges removed during a **Rake** is done as before. The set V_i^c removed in one **Compress** induces some paths, each end-edge of which may be adjacent to one (previously colored) edge in T_{i+1} . If the initial color of an end-edge conflicts with the coloring of T_{i+1} , we recolor it any available color. When $k = 2$ this procedure takes $O(\log^* n + \log_k n) = O(\log_\Delta n)$ time. \square

An *oriented* tree is a rooted tree where each vertex that is not the root knows its parent. We show that a $(\Delta + 1)$ -edge coloring of an oriented tree can be found in $O(\log^* n)$ time, but Δ -edge coloring takes $\Omega(\log_\Delta n)$ time.

Theorem 10. *Any oriented tree T can be $(\Delta + 1)$ -edge colored in $O(\log^* n)$ time.*

Proof. Initially pick color $\phi_0(\{u, \text{parent}(u)\}) = i$ if $\text{ID}(u)$ is the i th largest ID among its siblings. Observe that for any i , $\phi_0^{-1}(i)$ is a subgraph consisting of oriented paths, and that $\phi_0^{-1}(\Delta)$ is at most one edge, attached to the root. For each $i \in \{1, \dots, \Delta - 1\}$, in parallel, recolor $\phi_0^{-1}(i)$ using the color set $\{i, \Delta, \Delta + 1\}$ in such a way that the most ancestral edge in each path remains colored i . The result is a legal $(\Delta + 1)$ -edge coloring. This takes $O(\log^* n)$ time [13, 33]. \square

Theorem 11. *Any Δ -edge coloring algorithm for oriented trees takes $\Omega(\log_\Delta n)$ time in RandLOCAL.*

Proof. Let T be an oriented Δ -regular tree with height $h = \Theta(\log_\Delta n)$ and \mathcal{A} be an edge coloring algorithm running in $h/3$ time. The color of $\{u, \text{parent}(u)\}$ is uniquely determined by the colors of the edges incident to leaf-descendants of u . Let V' denote the set of leaf-descendants of u . In general, $N^{h/3}(u)$ and $\bigcup_{v \in V'} N^{h/3}(v)$ do not intersect. In this case, u only has a $1/\Delta$ chance of guessing the correct edge color; if it guesses incorrectly, there must be a violation somewhere in the subtree rooted at u . \square

7 Lower Bounds for Augmenting Path-Type Algorithms

In this section, we show that for $c \in [1, \frac{\Delta}{3}]$, any algorithm for $(\Delta + c)$ -edge coloring based on “extending partial colorings by recoloring subgraphs” needs $\Omega(\frac{\Delta}{c} \log \frac{cn}{\Delta})$ rounds.

Theorem 12. *Let Δ be the maximum degree and $c \in [1, \frac{\Delta}{3}]$. For any n , there exists an n -vertex graph $G = (V, E)$ and a partial edge coloring $\phi : E \rightarrow \{1, \dots, \Delta + c, \perp\}$, with exactly one uncolored edge e_0 ($\phi(e_0) = \perp$) satisfying the following property. For any total edge coloring $\phi' : E \rightarrow \{1, \dots, \Delta + c\}$ of G , ϕ and ϕ' differ on a subgraph of diameter $\Omega(\frac{\Delta}{c} \log(\frac{cn}{\Delta}))$.*

Suppose that G is a partially $(\Delta + c)$ -edge colored graph, where an edge e_0 is uncolored. A natural approach to color e_0 is to find an “augmenting path” $e_0 e_1 \dots e_\ell$, and then recolor the path. That is, for $0 \leq i \leq \ell - 1$, let the new color of e_i be the old color of e_{i+1} , and then color the last edge e_ℓ by choosing any available color (if possible). This type of approach has successfully led to a distributed algorithm for Brooks' theorem [37].³ However, Theorem 12 implies the existence of a graph where any augmenting subgraph has diameter $\Omega(\frac{\Delta}{c} \log \frac{cn}{\Delta})$, which is expensive for large Δ . The remainder of this section is a proof of Theorem 12.

³Specifically, given a $(\Delta + 1)$ -vertex coloring, a Δ -coloring can be computed in $O(\log^3 n / \log \Delta)$ time, i.e., $\text{poly}(\log n)$ time, independent of Δ .




Figure 1: An example of the construction when $\Delta = 5$, $c = 1$, $k = 3$, $k' = 2$, and $\ell \geq 7$. Edges colored by palette $S_0 = \{1, 2, 3\}$ are blue, and edges colored by palette $S_1 = \{4, 5, 6\}$ are pink. Leftover vertices in layer $i - 2$ are also depicted (hollow) in layer i , and joined by a dashed curve. They represent the same vertex, not two different vertices.

Construction. Without loss of generality, assume that $\Delta + c$ is even, and let $k = \frac{\Delta + c}{2}$. We divide the color palette $\{1, \dots, \Delta + c\}$ into two equal-size sets $S_0 = \{1, \dots, k\}$ and $S_1 = \{k + 1, \dots, \Delta + c\}$. (One may refer to Figure 1 for an example, with $\Delta = 5, c = 1$. In the figure blue edges are colored from palette S_0 and pink edges from S_1 .) Let $k' = \Delta - k$.

The graph $G^*(\ell, \Delta, c)$ consists of one uncolored edge $e_0 = \{u_0, v_0\}$; all other vertices are arranged in layers $1, \dots, \ell$ and all other edges connect two vertices in adjacent layers or layers i and $i + 3$, for some i . In $G^*(\ell, \Delta, c)$, e_0 is a bridge and the subgraphs attached to u_0 and v_0 are structurally isomorphic, but colored differently. Thus, we focus on the half of G^* attached to u_0 .

Base Case. Layer 1 consists of k vertices attached to u_0 . They are initially colored with distinct colors from S_0 .

Inductive Step. The $(i + 1)$ th layer is constructed as follows. We take all the vertices at layer i and the *leftover* vertices at layer $i - 2$ and partition them into groups of size k' ; any ungrouped vertices are called *leftovers* at level i . (In Figure 1 a leftover vertex in layer $i - 2$ is drawn twice, solid in layer $i - 2$ and hollow when it is *promoted* to layer i ; they are connected by a dashed line.) The grouping is arbitrary, so long as all vertices promoted from layer $i - 2$ are grouped. Each group forms the lefthand side of a complete bipartite graph $K_{k',k}$. Layer $i + 1$ consists of the righthand side of all the (disjoint) copies of $K_{k',k}$. All the edges in these graphs are properly colored with S_b where $b = i \bmod 2$. (The subgraph attached to v_0 is constructed in the same way, except that we flip the parity: the complete bipartite graphs are colored with S_b , $b = (i + 1) \bmod 2$.)

Define n_i and l_i as the number of layer- i vertices and layer- i leftover vertices.⁴ According to the construction, (n_i) and (l_i) satisfy the following recurrences.

$$\begin{aligned} n_1 &= k \\ l_{-1} &= l_0 = 0 \\ n_{i+1} &= k \left\lfloor \frac{n_i + l_{i-2}}{k'} \right\rfloor && \text{for } i + 1 \geq 2 \\ l_i &= (n_i + l_{i-2}) \bmod k' && \text{for } i \geq 1 \end{aligned}$$

Clearly $n_i = \Theta((k/k')^i)$. Since $k/k' = \frac{\Delta+c}{\Delta-c} = 1 + \frac{2c}{\Delta-c} = 1 + \epsilon$, the total number of vertices in $G^*(\ell, \Delta, c)$ is $n = \Theta(\epsilon^{-1}n\ell) = \Theta(\epsilon^{-1}(1 + \epsilon)^\ell)$ and $\ell = \Theta(\log_{1+\epsilon}(en)) = \Theta(\frac{\Delta}{c} \log \frac{cn}{\Delta})$. In particular, when c is constant and $\Delta < n^{1-\Omega(1)}$, $\ell = \Omega(\Delta \log n)$. The diameter of the graph is at least $\ell/3$ since, by construction, no edge crosses more than 3 layers.

Let ϕ be the initial partial edge-coloring of $G^*(\ell, \Delta, c)$, with e_0 left uncolored, and ϕ' be any total edge-coloring. We claim that ϕ' recolors at least one edge in the subgraph induced by layers $\ell - 5, \dots, \ell$. Suppose otherwise. Fix any vertex v in layer $\ell - 6$. It has exactly k neighbors in a higher layer, either $\ell - 5$ (if v is not a leftover vertex) or $\ell - 3$ (if v is a leftover vertex); each such neighbor u is adjacent to k edges to a higher layer, all of which are colored from the palette S_1 (without loss of generality, assume ℓ is even). That means that all edges connecting v to a higher layer must be colored from S_0 . By a reverse induction from $\ell - 6$ down to 0, it follows that all edges from u_0 to layer 1 must be colored with S_0 . A symmetric argument on v_0 's side shows that all edges from v_0 to layer 1 must be colored with S_1 , hence e_0 cannot be properly colored by ϕ' .

8 Conclusion

We have proved several new upper and lower bounds on the complexity of edge-coloring problems on general graphs and trees. Pedagogically, our simplified $\Omega(\log \log n)$ lower bound for sinkless orientation [9] and $(2\Delta - 2)$ -edge coloring is appropriate for a single lecture in a distributed computing course. Our $(\Delta + \tilde{O}(\sqrt{\Delta}))$ -edge coloring algorithm is simple, but tricky to analyze, and requires a general distributed LLL algorithm to be made efficient. Resolving the complexity of the distributed LLL problem is a major open problem [11, Conjecture 1] but one that is unlikely to be completely settled any time soon, given its connection to computing general network decompositions [20, 27].

In this paper we studied what seems to be the simplest interesting, non-trivial special case of the distributed LLL problem: constraining the dependency graph to be *tree-structured*.⁵ We obtained a provably optimal LLL algorithm for tree-structured instances, with complexity $O(\log \log n)$ (or faster, depending on the LLL criterion). The algorithm follows the *graph shattering* framework of [7]. First, we developed a specialized network decomposition for trees that, with [20], yields a *deterministic* LLL algorithm with complexity $O(\max\{\log_\lambda n, \log n / \log \log n\})$, under LLL criterion $p(ed)^\lambda < 1$. Second, we developed a new method for shattering the dependency graph into $\text{poly}(\Delta) \log n$ -size components, in just $O(\log_\lambda \log n)$ time. Interestingly, the shattering routine is not concerned with the parameters of the LLL *per se*; it simply finds a stable state in a certain contagion process played out on the tree. By composing the graph shattering routine and the deterministic algorithm, we arrive at a final complexity of $O(\max\{\log_\lambda \log n, \log \log n / \log \log \log n\})$. We believe

⁴The leftover vertices at layer $i - 2$ are still considered as layer i vertices, even though they have been promoted to layer i .

⁵If $T = (V, E)$ is a tree and $k = O(1)$, $T^k = (V, \{(u, v) \mid \text{dist}_T(u, v) \leq k\})$ is tree-structured.

that our shattering technique (via stable sets of complex contagions) should be adaptable to the distributed LLL problem on *general* dependency graphs.

References

- [1] E. Arjomandi. An efficient algorithm for colouring the edges of a graph with $\Delta + 1$ colours. *INFOR: Information Systems and Operational Research*, 20(2):82–101, 1982.
- [2] B. Awerbuch, A. V. Goldberg, M. Luby, and S. A. Plotkin. Network decomposition and locality in distributed computation. In *Proceedings 30th IEEE Symposium on Foundations of Computer Science (FOCS)*, pages 364–369, 1989.
- [3] L. Barenboim. Deterministic $(\Delta + 1)$ -coloring in sublinear (in Δ) time in static, dynamic and faulty networks. In *Proceedings of the 2015 ACM Symposium on Principles of Distributed Computing (PODC)*, pages 345–354, 2015.
- [4] L. Barenboim and M. Elkin. Deterministic distributed vertex coloring in polylogarithmic time. *J. ACM*, 58(5):23, 2011.
- [5] L. Barenboim, M. Elkin, and F. Kuhn. Distributed $(\Delta + 1)$ -coloring in linear (in Δ) time. *SIAM J. Comput.*, 43(1):72–95, 2014.
- [6] L. Barenboim, M. Elkin, and T. Maimon. Deterministic distributed $(\Delta + o(\Delta))$ -edge-coloring, and vertex-coloring of graphs with bounded diversity. In *Proceedings of the 2017 ACM Symposium on Principles of Distributed Computing (PODC)*, pages 175–184, 2017.
- [7] L. Barenboim, M. Elkin, S. Pettie, and J. Schneider. The locality of distributed symmetry breaking. *J. ACM*, 63(3):20:1–20:45, 2016.
- [8] B. Bollobás. *Extremal graph theory*, volume 11 of *London Mathematical Society Monographs*. Academic Press Inc. [Harcourt Brace Jovanovich Publishers], London, 1978.
- [9] S. Brandt, O. Fischer, J. Hirvonen, B. Keller, T. Lempiäinen, J. Rybicki, J. Suomela, and J. Uitto. A lower bound for the distributed Lovász local lemma. In *Proceedings 48th ACM Symposium on the Theory of Computing (STOC)*, pages 479–488, 2016.
- [10] Y.-J. Chang, T. Kopelowitz, and S. Pettie. An exponential separation between randomized and deterministic complexity in the LOCAL model. In *Proceedings 57th IEEE Symposium on Foundations of Computer Science (FOCS)*, pages 615–624, 2016.
- [11] Y.-J. Chang and S. Pettie. A time hierarchy theorem for the LOCAL model. In *Proceedings 58th IEEE Symposium on Foundations of Computer Science (FOCS)*, pages 156–167, 2017.
- [12] K.-M. Chung, S. Pettie, and H.-H. Su. Distributed algorithms for the Lovász local lemma and graph coloring. *Distributed Computing*, 30:261–280, 2017.
- [13] R. Cole and U. Vishkin. Deterministic coin tossing with applications to optimal parallel list ranking. *Information and Control*, 70(1):32–53, 1986.
- [14] A. Czygrinow, M. Hanckowiak, and M. Karonski. Distributed $O(\Delta \log n)$ -edge-coloring algorithm. In *Proc. ESA 2001*, pages 345–355, 2001.

- [15] X. Dahan. Regular graphs of large girth and arbitrary degree. *Combinatorica*, 34(4):407–426, 2014.
- [16] D. P. Dubhashi, D. A. Grable, and A. Panconesi. Near-optimal, distributed edge colouring via the nibble method. *Theor. Comput. Sci.*, 203(2):225–251, 1998.
- [17] D. P. Dubhashi and A. Panconesi. *Concentration of Measure for the Analysis of Randomized Algorithms*. Cambridge University Press, 2009.
- [18] D. P. Dubhashi and D. Ranjan. Balls and bins: A study in negative dependence. *J. Random Structures and Algs.*, 13(2):99–124, 1998.
- [19] M. Elkin, S. Pettie, and H. H. Su. $(2\Delta - 1)$ -edge coloring is much easier than maximal matching in the distributed setting. In *Proceedings 26th ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pages 355–370, 2015.
- [20] M. Fischer and M. Ghaffari. Sublogarithmic distributed algorithms for Lovász local lemma with implications on complexity hierarchies. In *Proceedings 31st International Symposium on Distributed Computing (DISC)*, pages 18:1–18:16, 2017.
- [21] M. Fischer, M. Ghaffari, and F. Kuhn. Deterministic distributed edge coloring via hypergraph maximal matching. In *Proceedings 58th IEEE Symposium on Foundations of Computer Science (FOCS)*, pages 180–191, 2017.
- [22] P. Fraigniaud, M. Heinrich, and A. Kosowski. Local conflict coloring. In *Proceedings 57th Annual IEEE Symposium on Foundations of Computer Science (FOCS)*, pages 625–634, 2016.
- [23] H. N. Gabow, T. Nishizeki, O. Kariv, D. Leven, and O. Terada. Algorithms for edge-coloring graphs. Technical Report TRECIS-8501, Tohoku University, 1985.
- [24] M. Ghaffari. An improved distributed algorithm for maximal independent set. In *Proceedings 27th Annual ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pages 270–277, 2016.
- [25] M. Ghaffari, D. G. Harris, and F. Kuhn. On Derandomizing Local Distributed Algorithms. *ArXiv e-prints*, November 2017.
- [26] M. Ghaffari, J. Hirvonen, F. Kuhn, Y. Maus, J. Suomela, and J. Uitto. Improved distributed degree splitting and edge coloring. In *Proceedings 31st International Symposium on Distributed Computing (DISC)*, pages 19:1–19:15, 2017.
- [27] M. Ghaffari, F. Kuhn, and Y. Maus. On the complexity of local distributed graph problems. In *Proceedings of the 49th Annual ACM Symposium on Theory of Computing (STOC)*, pages 784–797, 2017.
- [28] M. Ghaffari and H.-H. Su. Distributed degree splitting, edge coloring, and orientations. In *Proceedings 28th Annual ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pages 2505–2523, 2017.
- [29] D. A. Grable. A large deviation inequality for functions of independent, multi-way choices. *Combinatorics, Probability & Computing*, 7(1):57–63, 1998.
- [30] I. Holyer. The NP-completeness of edge-coloring. *SIAM Journal on Computing*, 10(4):718–720, 1981.

- [31] H. J. Karloff and D. B. Shmoys. Efficient parallel algorithms for edge coloring problems. *J. Algorithms*, 8(1):39–52, 1987.
- [32] F. Kuhn and R. Wattenhofer. On the complexity of distributed graph coloring. In *Proceedings 25th Annual ACM Symposium on Principles of Distributed Computing (PODC)*, pages 7–15, 2006.
- [33] N. Linial. Locality in distributed graph algorithms. *SIAM J. Comput.*, 21(1):193–201, 1992.
- [34] G. L. Miller and J. H. Reif. Parallel tree contraction—Part I: fundamentals. *Advances in Computing Research*, 5:47–72, 1989.
- [35] R. A. Moser and G. Tardos. A constructive proof of the general Lovász local lemma. *J. ACM*, 57(2), 2010.
- [36] M. Naor. A lower bound on probabilistic algorithms for distributive ring coloring. *SIAM J. Discrete Mathematics*, 4(3):409–412, 1991.
- [37] A. Panconesi and A. Srinivasan. The local nature of Δ -coloring and its algorithmic applications. *Combinatorica*, 15(2):255–280, 1995.
- [38] A. Panconesi and A. Srinivasan. On the complexity of distributed network decomposition. *J. Algor.*, 20(2):356–374, 1996.
- [39] A. Panconesi and A. Srinivasan. Randomized distributed edge coloring via an extension of the Chernoff-Hoeffding bounds. *SIAM J. Comput.*, 26(2):350–368, 1997.
- [40] D. Peleg. *Distributed Computing: A Locality-Sensitive Approach*. SIAM, 2000.
- [41] S. Pettie and H.-H. Su. Distributed algorithms for coloring triangle-free graphs. *Information and Computation*, 243:263–280, 2015.
- [42] V. G. Vizing. On an estimate of the chromatic class of a p -graph. *Diskret. Analiz No.*, 3:25–30, 1964.

A Proof of Lemma 5

In this section we prove the concentration bounds of Lemma 5. For notational simplicity, we ignore all subscripts i , i.e., p, d, t are the palette size, degree, and c -degree before the i th round of coloring, all of which satisfy invariant \mathcal{H}_i . Recall that we introduce imaginary edges, if necessary, to ensure that the entire graph has uniform c -degree t and uniform palette size p . $S(v)$ is the set of real edges incident to v , $|S(v)| \leq d$, and $N_c(v)$ the set of real and imaginary edges incident to v with c in their palettes. The arguments of this section do not differentiate between real and imaginary edges. From Lemma 3 we use the fact that $t = \Theta(p)$, i.e., t and p are interchangeable in those parts of the proof that are not sensitive to the leading constant.

We make extensive use of Theorem 13 and Lemma 20 to prove Lemma 5. Theorem 13 is from Dubhashi and Panconesi's book [17] on the concentration of measure, where it is called the *method of bounded variances*. Ignoring the leading constant in the exponent, Theorem 13 is strictly more powerful than Chernoff-Hoeffding and Azuma-type inequalities, and is best suited in applications that have the following two features:

- We are interested in deviations of $f(\mathbf{X}_n)$ from its expectation (up to $\pm s$) that are significantly smaller than the number of underlying random variables (n) times the Lipschitz bound satisfied by the martingale (M). This feature renders Azuma's inequality too weak to be of any use.⁶
- The Lipschitz bound is pessimistic: although $D_i = \mathbb{E}[f|\mathbf{X}_i] - \mathbb{E}[f|\mathbf{X}_{i-1}]$ can be as large as M , its variance (σ_i^2) conditioned on any \mathbf{X}_{i-1} is substantially smaller.

For example, in the first round of coloring, the c -degree of a vertex v depends on $\Theta(\Delta^3)$ random variables (colors chosen by edges in the 3-neighborhood) but we are interested in deviations from the expected c -degree that are $s = O(\Delta)$. Any single edge could have a significant effect on v 's c -degree ($M = \Theta(1)$), but the *variances* of these effects are substantially smaller. In particular, the sum of variances $\sum_i \sigma_i^2$ will be $O(\Delta)$.

Theorem 13 ([17, Equation (8.5)]). *Let X_1, \dots, X_n be an arbitrary set of random variables. Let $f(X_1, \dots, X_n)$ be such that $\mathbb{E}[f]$ is finite. We write $D_i \stackrel{\text{def}}{=} \mathbb{E}[f|\mathbf{X}_i] - \mathbb{E}[f|\mathbf{X}_{i-1}]$. Suppose that there exist M and values $\{\sigma_i^2\}_{1 \leq i \leq n}$ meeting the following conditions.*

- *For any assignment to the random variables \mathbf{X}_{i-1} , $\text{Var}[D_i|\mathbf{X}_{i-1}] \leq \sigma_i^2$.*
- *For any assignment to the random variables \mathbf{X}_i , $|D_i| \leq M$.*

Then $\Pr[f > \mathbb{E}[f] + s] \leq \exp\left(-\frac{s^2}{2(\sum_{i=1}^n \sigma_i^2 + Ms/3)}\right)$.

Lemma 20 follows from straightforward calculation.

Lemma 20. *Let X be a random variable such that (i) $\mathbb{E}[X] = 0$, (ii) $\Pr[X = a] = \alpha$ and $\Pr[X = b] = 1 - \alpha$, and (iii) $|a - b| \leq k$. Then we have the following.*

- $\text{Var}[X] \leq \alpha(1 - \alpha)k^2 \leq \alpha k^2$.
- $|b| \leq \alpha k$.
- $|a| \leq (1 - \alpha)k \leq k$.

Throughout this section, we use the following notation. For each edge e and each color c , define $z_{e,c}$ as the indicator random variable that e successfully colors itself c , thus $z_{e,c} = 0$ if $c \notin \Psi(e)$.

⁶A vector (X_1, \dots, X_i) of random variables is written \mathbf{X}_i .

A.1 Concentration of Vertex Degree

Let v^\bullet be a vertex. We claim that $\mathbb{E}[|S^\circ(v^\bullet)|] \leq d^\circ$. An edge e successfully colors itself with probability $(1 - 1/p)^{2(t-1)}$, since there are $2(t-1)$ edges competing with e for $\text{Color}^*(e)$, and each of these $2(t-1)$ edges selects $\text{Color}^*(e)$ with probability $1/p$. Thus, by linearity of expectation,

$$\mathbb{E}[|S^\circ(v^\bullet)|] = (1 - (1 - 1/p)^{2(t-1)})|S(v^\bullet)| \leq (1 - (1 - 1/p)^{2(t-1)})d = d^\circ.$$

For brevity, we write $S \stackrel{\text{def}}{=} S(v^\bullet)$, $S^\circ \stackrel{\text{def}}{=} S^\circ(v^\bullet)$, and $z \stackrel{\text{def}}{=} |S| - |S^\circ|$. The goal of this section is to show that $\Pr[z < \mathbb{E}[z] - s] = \exp(-\Omega(s^2/|S|))$, which implies the desired concentration bound $\Pr[|S^\circ(v^\bullet)| > (1 + \delta)d^\circ] = \exp(-\Omega(\delta^2 d))$, by setting $s = \delta d^\circ$.

Notations. We write $z_e \stackrel{\text{def}}{=} \sum_{c \in \Psi(e)} z_{e,c}$ and $z_c \stackrel{\text{def}}{=} \sum_{e \in S} z_{e,c}$. In other words, z_e is the indicator random variable that e successfully colors itself; z_c is the indicator random variable that some edge in S successfully colors itself by c . We can express z as $z = \sum_{e \in S} z_e$ or $z = \sum_c z_c$, where the summation is over all colors $c \in \bigcup_{e \in S} \Psi(e)$.

Let S' denote the set of edges such that $e' \in S'$ if there exists $e = \{v^\bullet, u\} \in S$ such that (i) $\Psi(e) \cap \Psi(e') \neq \emptyset$, and (ii) e' is incident to e . For each edge $e' \in S'$ and for each color $c \in \Psi(e')$, we define $R(e', c)$ as the subset of S such that $e \in R(e', c)$ if (i) e is incident to e' , and (ii) $c \in \Psi(e)$. We write $w(e', c) = |R(e', c)|$ and $w(e') = \sum_{c \in \Psi(e')} w(e', c)$. Notice that the value $w(e', c)$ may exceed 2 when $e' \notin S$ is an imaginary edge incident to v^\bullet . Intuitively, $w(e')$ measures the influence of $\text{Color}^*(e')$ on z . Notice that $\sum_{e' \in S'} w(e') \leq 2|S|pt$.

We consider the sequence of random variables $(X_1, \dots, X_{|S|+|S'|})$, where the initial $|S'|$ variables are the colors selected by the edges in S' , in arbitrary order, and the remaining $|S|$ variables are the colors selected by the edges in S , in arbitrary order. We let $z = f(X_1, \dots, X_{|S|+|S'|})$ in Theorem 13. To prove the desired concentration bound, it suffices to show that we can set $M = O(1)$ and σ_i^2 to achieve $\sum_{i=1}^{|S|+|S'|} \sigma_i^2 = O(|S|)$. In what follows, we analyze the effect of exposing the value of the random variable X_i , given that all variables in \mathbf{X}_{i-1} have been fixed.

Exposing an Edge in S' . Consider the case where $X_i = \text{Color}^*(e^*)$ is the color selected by the edge $e^* \in S'$. Recall $D_i = \mathbb{E}[z|\mathbf{X}_i] - \mathbb{E}[z|\mathbf{X}_{i-1}]$. Our goal is to show that $\text{Var}[D_i|\mathbf{X}_{i-1}] = O(w(e)/(pt))$ and $|D_i| = O(1)$. Hence we set $\sigma_i^2 = O(w(e)/(pt))$, which implies $\sum_{1 \leq i \leq |S'|} \sigma_i^2 = O(|S|)$, as desired.

By linearity of expectation, $D_i = \sum_c (\mathbb{E}[z_c|\mathbf{X}_i] - \mathbb{E}[z_c|\mathbf{X}_{i-1}])$, where the summation ranges over all colors c that appear in $\bigcup_{e \in S} \Psi(e)$. We write $D_{i,c} = \mathbb{E}[z_c|\mathbf{X}_i] - \mathbb{E}[z_c|\mathbf{X}_{i-1}]$, and make the following observations:

- $D_{i,c} \neq 0$ only if $c \in \Psi(e^*)$. For each $c \in \Psi(e^*)$, $D_{i,c}$ depends only on whether e^* selects the color c , which occurs with probability $1/p$. In particular, $D_{i,c} < 0$ only if e^* selects c , and $D_{i,c} > 0$ only if e^* does not select c . Thus, $\text{Cov}[D_{i,c}, D_{i,c'}|\mathbf{X}_{i-1}] \leq 0$ for all color pairs $\{c, c'\}$.
- For each $e \in S$, both $\mathbb{E}[z_{e,c}|\mathbf{X}_i]$ and $\mathbb{E}[z_{e,c}|\mathbf{X}_{i-1}]$ are within $[0, 1/p]$, since $z_{e,c} = 1$ only if $c \in \Psi(e)$ and e selects c , which occurs with probability $1/p$. Thus, $\max_{X_i} D_{i,c} - \min_{X_i} D_{i,c} \leq w(e^*, c)/p$.

By Lemma 20 (with $k \leq w(e^*, c)/p$ and $\alpha = 1/p$), we have $\text{Var}[D_{i,c}|\mathbf{X}_{i-1}] \leq (1/p)(w(e^*, c)/p)^2$. We

bound the variance $\text{Var}[D_i|\mathbf{X}_{i-1}]$ as follows.

$$\begin{aligned}
\text{Var}[D_i|\mathbf{X}_{i-1}] &= \sum_c \text{Var}[D_{i,c}|\mathbf{X}_{i-1}] + \sum_{c,c'} \text{Cov}[D_{i,c}, D_{i,c'}|\mathbf{X}_{i-1}] \\
&= \sum_c O((w(e^*, c)/p)^2/p) && \text{Cov}[D_{i,c}, D_{i,c'}|\mathbf{X}_{i-1}] \leq 0 \\
&= \sum_c O(w(e^*, c)/p^2) && w(e^*, c) < t = \Theta(p) \\
&= O(w(e^*)/p^2) \\
&= O(w(e^*)/(pt)).
\end{aligned}$$

We bound $|D_i|$ as follows. Consider $c \in \Psi(e^*)$. Recall that we already have the bound $|D_{i,c}| \leq w(e^*, c)/p \leq (t-1)/p$. If c is not selected by e^* , which occurs with probability $1 - 1/p$, we have a tighter bound $|D_{i,c}| \leq w(e^*, c)/p^2 \leq (t-1)/p^2$ by Lemma 20 with $k \leq w(e^*, c)/p$ and $\alpha = 1/p$. Therefore,

$$|D_i| \leq \sum_c |D_{i,c}| \leq 1 \cdot \frac{t-1}{p} + (p-1) \cdot \frac{t-1}{p^2} = O(1).$$

Exposing an Edge in S . Consider the case where $X_i = \text{Color}^*(e^*)$ is the color selected by the edge $e^* \in S$. Suppose that $X_i = c^*$. Recall $D_i = \sum_c D_{i,c}$. It is straightforward to see that (i) $|D_{i,c}| \leq 1$ if $c = c^*$, (ii) $|D_{i,c}| \leq 1/p$ if $c \in \Psi(e^*) - \{c^*\}$, and (iii) $|D_{i,c}| = 0$ otherwise. Thus, $|D_i| = O(1)$, and $\text{Var}[D_i|\mathbf{X}_{i-1}] = O(1)$. We set $\sigma_i^2 = O(1)$, and so $\sum_{|S'| < i \leq |S| + |S'|} \sigma_i^2 = O(|S|)$.

A.2 Concentration of Palette Size

Let $e^\bullet = \{u, v\}$ be an edge, and let $c^\bullet = \text{Color}^*(e^\bullet)$ be the color selected by e^\bullet . We do not consider c^\bullet as a random variable in the analysis (i.e., we expose the color selected by e^\bullet first). Let \mathcal{E} be the event that e^\bullet does not successfully color itself. Since e^\bullet remains uncolored with at least a constant probability, we are allowed to ignore the condition “ e^\bullet remains uncolored” in Lemma 5 in the subsequent calculation. To prove the desired concentration bound regarding palette size $\Pr[|\Psi^\diamond(e)| < (1-\delta)p^\diamond \mid e \text{ remains uncolored}] = \exp(-\Omega(\delta^2 p))$, it suffices to show that (i) $|\mathbb{E}[|\Psi^\diamond(e^\bullet)|] - p^\diamond| = O(1)$, and (ii) $\Pr[|\Psi^\diamond(e^\bullet)| < (1-\delta)\mathbb{E}[|\Psi^\diamond(e^\bullet)|]] = \exp(-\Omega(\delta^2 \mathbb{E}[|\Psi^\diamond(e^\bullet)|]))$.

Notations. We write S_u (resp., S_v) to denote the set of edges e incident to e^\bullet on u (resp., v) such that $\Psi(e) \cap \Psi(e^\bullet) - \{c^\bullet\} \neq \emptyset$. We write S' to denote the set of edges such that $e' \in S'$ if there exists $e \in S_u \cup S_v$ meeting the following conditions: (i) e' is incident to e , (ii) $e' \notin S_u \cup S_v \cup \{e^\bullet\}$, and (iii) $\Psi(e) \cap \Psi(e') \cap \Psi(e^\bullet) - \{c^\bullet\} \neq \emptyset$. Notice that $\Psi^\diamond(e^\bullet)$ is determined by the colors selected by the edges in $S_u \cup S_v \cup S'$. We have $|S_u| \leq (p-1)(t-1) < pt$, $|S_v| \leq (p-1)(t-1) < pt$, and $|S'| \leq 2(p-1)(t-1)^2 < 2pt^2$.

Expected Value. In what follows, consider a color $c \in \Psi(e^\bullet) - \{c^\bullet\}$.

- Let $e \in S_u \cup S_v$ such that $c \in \Psi(e)$. We have $\mathbb{E}[z_{e,c}] = \frac{1}{p}(1 - \frac{1}{p})^{2t-3}$. Notice that e^\bullet selects $c^\bullet \neq c$, so there are $2t-3$ (rather than $2t-2$) edges competing with e for the color c .
- Let $e' = \{u, x\} \in S_u$ and $e'' = \{v, y\} \in S_v$ such that $c \in \Psi(e') \cap \Psi(e'')$. We define $z_{e',e'',c} \stackrel{\text{def}}{=} z_{e',c} \cdot z_{e'',c}$. If $x = y$, then $z_{e',e'',c} = 0$. Otherwise, $x \neq y$ and $\mathbb{E}[z_{e',e'',c}] = \frac{1}{p^2}(1 - \frac{1}{p})^{4t-6-b(e',e'')}$, where $b(e', e'') \leq 3$ is the number of edges e such that (i) $e \neq e^\bullet$, and (ii) e is incident to both e' and e'' .

Let z_c be the indicator random variable that some edge incident to e^\bullet successfully colors itself by c , that is,

$$z_c \stackrel{\text{def}}{=} \sum_{e : e \in S_u \cup S_v, c \in \Psi(e)} z_{e,c} - \sum_{e', e'' : e' \in S_u, e'' \in S_v, c \in \Psi(e') \cap \Psi(e'')} z_{e', e'', c}.$$

The number of edges $e \in S_u \cup S_v$ such that $c \in \Psi(e)$ is exactly $2t - 2$. The number of pairs $(e' = \{u, x\} \in S_u, e'' = \{v, y\} \in S_v)$ such that $c \in \Psi(e') \cap \Psi(e'')$ and $x \neq y$ is at least $(t-1)^2 - (t-1)$ and at most $(t-1)^2$. By linearity of expectation (recall $t = \Theta(p)$),

$$\mathbb{E}[z_c] = \frac{2t}{p}(1-1/p)^{2t} - \frac{t^2}{p^2}(1-1/p)^{4t} \pm O(1/p).$$

Define $z \stackrel{\text{def}}{=} \sum_{c \in \Psi(e^\bullet) - \{c^\bullet\}} z_c$. Then, we have:

$$\begin{aligned} \mathbb{E}[|\Psi^\diamond(e^\bullet)|] &= |\Psi(e^\bullet)| - \mathbb{E}[z] & |\Psi^\diamond(e^\bullet)| &= |\Psi(e^\bullet)| - z \\ &= p \cdot \left(1 - \frac{2t}{p}(1-1/p)^{2t} + \frac{t^2}{p^2}(1-1/p)^{4t} \pm O(1/p) \right) \\ &= p \cdot \left(1 - \frac{2t}{p}(1-1/p)^{2t} + \frac{t^2}{p^2}(1-1/p)^{4t} \right) \pm O(1) \\ &= p^\diamond \pm O(1). & \text{Definition of } p^\diamond \end{aligned}$$

Hence $|\mathbb{E}[|\Psi^\diamond(e^\bullet)|] - p^\diamond| = O(1)$.

Concentration Bound. Consider the sequence of random variables $(X_1, \dots, X_{|S_u|+|S_v|+|S'|})$, where the initial $|S'|$ variables are the colors selected by the edges in S' , in arbitrary order, and the remaining $|S_u| + |S_v|$ variables are the colors selected by the edges in $S_u \cup S_v$, in arbitrary order. Let $z = f(X_1, \dots, X_{|S_u|+|S_v|+|S'|})$ in Theorem 13. To prove the desired concentration bound $\Pr[|\Psi^\diamond(e^\bullet)| < (1-\delta)\mathbb{E}[|\Psi^\diamond(e^\bullet)|]] = \exp(-\Omega(\delta^2 \mathbb{E}[|\Psi^\diamond(e^\bullet)|]))$, it suffices to show that $\Pr[z > \mathbb{E}[z] + s] = \exp(-\Omega(s^2/p))$, by setting $s = \delta \mathbb{E}[|\Psi^\diamond(e^\bullet)|]$, and recall that $\mathbb{E}[|\Psi^\diamond(e^\bullet)|] = p^\diamond \pm O(1) = \Theta(p)$. In view of Theorem 13, we only need to show that we can set $M = O(1)$ and σ_i^2 such that $\sum_{i=1}^{|S_u|+|S_v|+|S'|} \sigma_i^2 = O(p)$.

Exposing an Edge in S' . Consider the case where $X_i = \text{Color}^*(e^*)$ is the color selected by the edge $e^* \in S'$. Our goal is to show that $|D_i| = O(1/t)$. This implies $\text{Var}[D_i | \mathbf{X}_{i-1}] = O(1/t^2)$, and so we may set $\sigma_i^2 = O(1/t^2)$. Since $|S'| = O(pt^2)$, we have $\sum_{i=1}^{|S'|} \sigma_i^2 = O(p)$.

Let R denote the set of edges in $S_u \cup S_v$ that are incident to e^* . Notice that $1 \leq |R| \leq 2$. We define:

$$z_c^{(i)} \stackrel{\text{def}}{=} \sum_{e' : e' \in R, c \in \Psi(e')} z_{e',c} - \sum_{e', e'' : e' \in S_u, e'' \in S_v, c \in \Psi(e') \cap \Psi(e''), \{e', e''\} \cap R \neq \emptyset} z_{e', e'', c}.$$

Intuitively, $z_c^{(i)}$ is the result of subtracting all terms from the definition of z_c not involving edges in R . We now argue that $\mathbb{E}[z_c | \mathbf{X}_i] - \mathbb{E}[z_c | \mathbf{X}_{i-1}] = \mathbb{E}[z_c^{(i)} | \mathbf{X}_i] - \mathbb{E}[z_c^{(i)} | \mathbf{X}_{i-1}]$. This is due to the two observations: (i) If $e \notin R$, then $\mathbb{E}[z_{e,c} | \mathbf{X}_i] = \mathbb{E}[z_{e,c} | \mathbf{X}_{i-1}]$. (ii) If $\{e', e''\} \cap R = \emptyset$, then $\mathbb{E}[z_{e', e'', c} | \mathbf{X}_i] = \mathbb{E}[z_{e', e'', c} | \mathbf{X}_{i-1}]$.

Consider a color $c \in \Psi(e^*) \cap \Psi(e^\bullet) - \{c^\bullet\}$. The probability that some edge in R selects c is at most $|R|/p \leq 2/p$. Thus, the conditional expectations $\mathbb{E}[z_c^{(i)} | \mathbf{X}_i]$ and $\mathbb{E}[z_c^{(i)} | \mathbf{X}_{i-1}]$ must be

within $[0, 2/p]$, and so $|\mathbb{E}[z_c^{(i)}|\mathbf{X}_i] - \mathbb{E}[z_c^{(i)}|\mathbf{X}_{i-1}]| \leq 2/p$. For the case of $c \neq X_i$, which occurs with probability $1 - 1/p$, we have a tighter bound $|\mathbb{E}[z_c^{(i)}|\mathbf{X}_i] - \mathbb{E}[z_c^{(i)}|\mathbf{X}_{i-1}]| \leq 2/p^2$ by Lemma 20 with $k \leq 2/p$ and $\alpha = 1/p$. We bound $|D_i|$ as follows.

$$\begin{aligned}
|D_i| &\leq \sum_{c \in \Psi(e^\bullet) - \{c^\bullet\}} |\mathbb{E}[z_c|\mathbf{X}_i] - \mathbb{E}[z_c|\mathbf{X}_{i-1}]| \\
&= \sum_{c \in \Psi(e^\star) \cap \Psi(e^\bullet) - \{c^\bullet\}} |\mathbb{E}[z_c^{(i)}|\mathbf{X}_i] - \mathbb{E}[z_c^{(i)}|\mathbf{X}_{i-1}]| \\
&\leq (2/p) + (2/p^2)(|\Psi(e^\star) \cap \Psi(e^\bullet) - \{c^\bullet\}| - 1) \\
&= O(1/p) = O(1/t).
\end{aligned}$$

Exposing an Edge in $S_u \cup S_v$. Consider the case where $X_i = \text{Color}^\star(e^\star)$ is the color selected by the edge $e^\star \in S_u \cup S_v$. We define $w(e^\star) \stackrel{\text{def}}{=} |\Psi(e^\star) \cap \Psi(e^\bullet) - \{c^\bullet\}|$. The goal is to show that (i) $|D_i| = O(1)$ and (ii) $\text{Var}[D_i|\mathbf{X}_{i-1}] = O(w(e^\star)/p)$. By setting $\sigma_i^2 = O(w(e^\star)/p)$, we achieve

$$\sum_{i=|S'|+1}^{|S'|+|S_u|+|S_v|} \sigma_i^2 = \sum_{e \in S_u \cup S_v} O(w(e)/p) = O(pt/p) = O(t) = O(p).$$

By the linearity of expectation, $D_i = \sum_{c \in \Psi(e^\star) \cap \Psi(e^\bullet) - \{c^\bullet\}} D_{i,c}$, where $D_{i,c} = \mathbb{E}[z_c|\mathbf{X}_i] - \mathbb{E}[z_c|\mathbf{X}_{i-1}]$. Since both $\mathbb{E}[z_c|\mathbf{X}_i]$ and $\mathbb{E}[z_c|\mathbf{X}_{i-1}]$ are within $[0, 1]$, we have $|D_{i,c}| \leq 1$. We have a tighter bound $|D_{i,c}| \leq 1/p$ in the event that $\text{Color}^\star(e^\star) \neq c$ (by Lemma 20 with $k \leq 1$ and $\alpha = 1/p$). Thus, $|D_i| \leq 1 + (w(e^\star) - 1)/p = O(1)$.

In order to prove that $\text{Var}[D_i|\mathbf{X}_{i-1}] = O(w(e^\star)/p)$, we need the following two observations.

- Consider a color $c \in \Psi(e^\star) \cap \Psi(e^\bullet) - \{c^\bullet\}$. Recall that $|D_{i,c}| \leq 1/p$ for the case c is not selected by e^\star , which occurs with probability $1 - 1/p$. Thus, $\mathbb{E}[D_{i,c} \cdot D_{i,c}|\mathbf{X}_{i-1}] \leq (1/p) \cdot 1 + (1 - 1/p) \cdot 1/p^2 = O(1/p)$.
- Consider two distinct colors c and c' in $\Psi(e^\star) \cap \Psi(e^\bullet) - \{c^\bullet\}$. If e^\star selects c or c' (which occurs with probability $2/p$), $D_{i,c} \cdot D_{i,c'} \leq 1 \cdot (1/p)$. Otherwise $D_{i,c} \cdot D_{i,c'} \leq (1/p) \cdot (1/p)$. Therefore, $\mathbb{E}[D_{i,c} \cdot D_{i,c'}|\mathbf{X}_{i-1}] \leq (2/p) \cdot 1/p + (1 - 2/p) \cdot 1/p^2 = O(1/p^2)$.

We now bound $\text{Var}[D_i|\mathbf{X}_{i-1}]$ as follows.

$$\begin{aligned}
\text{Var}[D_i|\mathbf{X}_{i-1}] &\leq \sum_{c \in \Psi(e^\star) \cap \Psi(e^\bullet) - \{c^\bullet\}} \sum_{c' \in \Psi(e^\star) \cap \Psi(e^\bullet) - \{c^\bullet\}} \mathbb{E}[D_{i,c} \cdot D_{i,c'}|\mathbf{X}_{i-1}] \\
&\leq w(e^\star) \cdot O(1/p) + w(e^\star)(w(e^\star) - 1) \cdot O(1/p^2) \\
&= O(w(e^\star)/p).
\end{aligned}$$

A.3 Concentration of Color Degree

For the remainder of this section, fix a vertex v^\bullet and a color c^\bullet in the palette $\Psi(e)$ for some e incident to v^\bullet . For convenience, we write $R \stackrel{\text{def}}{=} N_{c^\bullet}(v^\bullet)$. Define R° as the subset of R such that $e = \{v^\bullet, u\} \in R^\circ$ if (i) e is not successfully colored by a color in $\Psi(e) - \{c^\bullet\}$, and (ii) no edge incident to e on u successfully colors itself c^\bullet . We write $z \stackrel{\text{def}}{=} |R \setminus R^\circ|$. Let \mathcal{E}' be the event that $N_{c^\bullet}^\circ(v^\bullet) \neq \emptyset$. Observe that if \mathcal{E}' occurs, then no edge incident to v^\bullet successfully colors itself c^\bullet . Thus, conditioning on \mathcal{E}' happening, $R \setminus R^\circ$ equals $N_{c^\bullet}^\circ(v^\bullet)$.

Our goal is to show that (i) $\Pr[z < \mathbb{E}[z] - s] = \exp(-\Omega(s^2/t))$, and (ii) $\mathbb{E}[|R^\circ|] = |R| - \mathbb{E}[z] = t^\diamond \pm O(1)$. Since \mathcal{E}' occurs with constant probability, the above (i) and (ii) together imply the desired concentration bound $\Pr[|N_{e^\bullet}^\circ(v^\bullet)| > (1+\delta)t^\diamond \mid \mathcal{E}'] = \exp(-\Omega(\delta^2 t))$, by setting $s = \delta t^\diamond \pm O(1)$. Recall that $t^\diamond = \Theta(t)$.

Expected Value. With respect to an edge $e = \{v^\bullet, u\} \in R$, we define the following notations based on parts (i) and (ii) of the definition of R° .

- Define z_e^a as the indicator random variable that some edge incident to e on u successfully colors itself c^\bullet . We have $\mathbb{E}[z_e^a] = (t-1) \cdot \frac{1}{p}(1-\frac{1}{p})^{2t-2} = \frac{t}{p}(1-\frac{1}{p})^{2t} \pm O(1/p)$.
- Define z_e^b as the indicator random variable that e is successfully colored by a color in $\Psi(e) - \{c^\bullet\}$. We have $\mathbb{E}[z_e^b] = (p-1) \cdot \frac{1}{p}(1-\frac{1}{p})^{2t-2} = (1-\frac{1}{p})^{2t} \pm O(1/p)$.

Let $z_e^{a,b} \stackrel{\text{def}}{=} z_e^a \cdot z_e^b$. Notice that z_e^a and z_e^b are nearly independent but not independent. Let $z_e \stackrel{\text{def}}{=} z_e^a + z_e^b - z_e^{a,b}$, and so we have $z = |R \setminus R^\circ| = \sum_{e \in R} z_e$. We calculate $\mathbb{E}[z_e^{a,b}]$ as follows. Let e' be any edge incident to e such that $c^\bullet \in \Psi(e')$, and let c be any color in $\Psi(e) - \{c^\bullet\}$. With respect to (e, e', c) , we define the following two sets:

- S_a is the set of all edges e'' such that (i) $e'' \neq e, e'$, (ii) e'' is incident to e' , and (iii) $c^\bullet \in \Psi(e'')$. Intuitively, S_a is the set of all edges other than e that contend with e' for the color c^\bullet . Notice that $|S_a| = 2t - 3$, since $\Psi(e)$ must contain c^\bullet .
- S_b is the set of all edges e'' such that $e'' \in S_b$ if (i) $e'' \neq e, e'$, (ii) e'' is incident to e , and (iii) $c \in \Psi(e'')$. Intuitively, S_b is the set of all edges other than e' that contend with e for the color c . Notice that $2t - 3 \leq |S_b| \leq 2t - 2$, since $\Psi(e')$ may or may not contain c . The extent to which S_a and S_b intersect is unknown.

Fixing the edge e incident to v^\bullet , let $x(c, e')$ denote the probability that (i) e' successfully colors itself c^\bullet and (ii) e successfully colors itself c . In view of the definition of S_a and S_b , we have:

$$\begin{aligned}
x(c, e') &= \frac{1}{p^2} \prod_{e'' \in S_a \setminus S_b} (1 - 1/p) \prod_{e'' \in S_b \setminus S_a} (1 - 1/p) \prod_{e'' \in S_a \cap S_b} (1 - 2/p) \\
&= \frac{1}{p^2} (1 - 1/p)^{|S_a \setminus S_b|} (1 - 1/p)^{|S_b \setminus S_a|} (1 - 2/p)^{|S_a \cap S_b|} \\
&= \frac{1}{p^2} (1 - 1/p)^{|S_a \setminus S_b|} (1 - 1/p)^{|S_b \setminus S_a|} (1 - 1/p)^{2|S_a \cap S_b|} \left(1 - O\left(\frac{|S_a \cap S_b|}{p^2}\right)\right) \\
&= \frac{1}{p^2} (1 - 1/p)^{|S_a| + |S_b|} (1 - O(1/p)) \quad (\text{Notice that } |S_a \cap S_b| < t = \Theta(p).) \\
&= \frac{1}{p^2} (1 - 1/p)^{4t - O(1)} (1 - O(1/p)) \\
&= \frac{1}{p^2} (1 - 1/p)^{4t} \pm O(1/p^3).
\end{aligned}$$

We now calculate $\mathbb{E}[z_e^{a,b}]$ and show that $\mathbb{E}[|R^\diamond|] = |R| - \mathbb{E}[z] = t^\diamond \pm O(1)$.

$$\begin{aligned} \mathbb{E}[z_e^{a,b}] &= \sum_{\substack{(c,e') : e' \text{ incident to } e, \\ c^\bullet \in \Psi(e'), c \in \Psi(e) - \{c^\bullet\}}} x(c, e') && \text{(union of disj. events)} \\ &= (t-1)(p-1) \cdot \left(\frac{1}{p^2} (1-1/p)^{4t} \pm O(1/p^3) \right) \\ &= \frac{t}{p} (1-1/p)^{4t} \pm O(1/p). \end{aligned}$$

$$\begin{aligned} \mathbb{E}[|R^\diamond|] &= |R| - \mathbb{E}[z] \\ &= t - \sum_{e \in R} \left(\mathbb{E}[z_e^a] + \mathbb{E}[z_e^b] - \mathbb{E}[z_e^{a,b}] \right) \\ &= t \cdot \left(1 - \frac{t}{p} (1-1/p)^{2t} - (1-1/p)^{2t} + \frac{t}{p} (1-1/p)^{4t} \pm O(1/p) \right) \\ &= t \cdot \left(1 - \frac{t}{p} (1-1/p)^{2t} - (1-1/p)^{2t} + \frac{t}{p} (1-1/p)^{4t} \right) \pm O(1) \\ &= t^\diamond \pm O(1). \end{aligned}$$

Definition of t^\diamond

Concentration Bound. We have established that $|R^\diamond|$ has the correct expectation and now need to prove that it has sufficiently good concentration around that expectation. The analysis here becomes more complicated because we have to consider the colors selected in some 3-neighborhood. The *palette size* and *degree* analyses focussed only on 2-neighborhoods.

Based on the definition of z_e^a and z_e^b , we define the following sets.

- Recall that $R = N_{c^\bullet}(v^\bullet)$. Let R_1 be the set of all edges e such that (i) $e \notin R$, (ii) $c^\bullet \in \Psi(e)$, and (iii) e is incident to some edge in R . Similarly, let R_2 be the set of all edges e such that (i) $e \notin R \cup R_1$, (ii) $c^\bullet \in \Psi(e)$, and (iii) e is incident to some edge in R_1 . Notice that the value z_e^a , for any $e \in R$, is determined by the information about which edges in $R \cup R_1 \cup R_2$ select c^\bullet . We write $\alpha = |R \cup R_1 \cup R_2|$.
- Let R' be the set of all edges e' such that (i) $e' \notin R$ and (ii) there exists $e \in R$ such that $\Psi(e) \cap \Psi(e') - \{c^\bullet\} \neq \emptyset$. Notice that the value z_e^b , for any $e \in R$, is determined by the colors selected by the edges in $R \cup R'$. We write $\beta = |R \cup R'|$.

For each $e \in R$, z_e^a is simply the summation of z_{e',c^\bullet} over all edges $e' \in R_1$ incident to e . For each $e'' \in R_2$, we write $w(e'')$ to denote the number of edges in R_1 incident to e'' . Intuitively, $w(e'')$ measures the influence of $\text{Color}^*(e'')$ on $\sum_{e \in R} z_e^a$.

We consider the sequence of random variables $(X_1, \dots, X_{\alpha+\beta})$, where the initial α random variables reveal which edges in $R \cup R_1 \cup R_2$ select the color c^\bullet according to the ordering R_2, R_1, R , and the remaining β random variables reveal the colors selected by the edges in $R \cup R'$ according to the ordering R', R . We let $z = f(X_1, \dots, X_{\alpha+\beta})$ in Theorem 13. To prove the desired concentration bound $\Pr[z < \mathbb{E}[z] - s] = \exp(-\Omega(s^2/t))$, it suffices to show that we can set $M = O(1)$ and σ_i^2 such that $\sum_{i=1}^{\alpha+\beta} \sigma_i^2 = O(t)$. In what follows, we analyze the effect of exposing the value of X_i , given that all variables in \mathbf{X}_{i-1} have been fixed.

Revealing whether c^\bullet is Selected by an Edge in $R \cup R_1 \cup R_2$. Consider the case where X_i reveals whether c^\bullet is selected by the edge $e^\star \in R \cup R_1 \cup R_2$. Notice that X_i is binary, and recall that $D_i = \mathbb{E}[z|\mathbf{X}_i] - \mathbb{E}[z|\mathbf{X}_{i-1}]$. There are at most two distinct outcomes of $D_i|\mathbf{X}_{i-1}$, in which one occurs with probability $1/p$. Thus, by Lemma 20 we have:

$$\text{Var}[D_i|\mathbf{X}_{i-1}] \leq \left(\max_{X_i} D_i|\mathbf{X}_{i-1} - \min_{X_i} D_i|\mathbf{X}_{i-1} \right)^2 / p = O(\max_{\mathbf{X}_i} |D_i|^2 / p).$$

Thus, to achieve $\sum_{i=1}^\alpha \sigma_i^2 = O(t)$ and $M = O(1)$ it suffices to show the following.

- For the case $e^\star \in R_2$, we must prove $|D_i| = O(w(e^\star)/p)$.⁷ Since $w(e^\star) < t = \Theta(p)$, $\text{Var}[D_i|\mathbf{X}_{i-1}] = O((w(e^\star)/p)^2/p) = O(w(e^\star)/p^2)$, so we can set $\sigma_i^2 = O(w(e^\star)/p^2)$.
- For the case $e^\star \in R \cup R_1$, we must prove $|D_i| = O(1)$. Hence we may set $\sigma_i^2 = \text{Var}[D_i|\mathbf{X}_{i-1}] = O(1/p)$.

Notice that $\sum_{e^\star \in R_2} w(e^\star) < t^3$, $|R_1| < t^2$, and $|R| = t$. Thus, $\sum_{i=1}^\alpha \sigma_i^2 = O(t)$. With respect to the edge $e^\star \in R \cup R_1 \cup R_2$, we make the following definitions.

$$Y^a \stackrel{\text{def}}{=} \{e' \in R_1 : e' = e^\star \text{ or } e' \text{ is incident to } e^\star\} \quad D_i^a \stackrel{\text{def}}{=} \sum_{e' \in Y^a} (\mathbb{E}[z_{e',c^\bullet}|\mathbf{X}_i] + \mathbb{E}[z_{e',c^\bullet}|\mathbf{X}_{i-1}])$$

$$Y^b \stackrel{\text{def}}{=} \{e \in R : e = e^\star \text{ or } e \text{ is incident to } e^\star\} \quad D_i^b \stackrel{\text{def}}{=} \sum_{e \in Y^b} |\mathbb{E}[z_e^b|\mathbf{X}_i] - \mathbb{E}[z_e^b|\mathbf{X}_{i-1}]|$$

Intuitively, Y^a and Y^b are the subsets of R_1 and R that are “relevant” to D_i in the following sense:

$$\begin{aligned} \mathbb{E}[z_{e'',c^\bullet}|\mathbf{X}_i] &= \mathbb{E}[z_{e'',c^\bullet}|\mathbf{X}_{i-1}] && \text{for all } e'' \in R_1 \setminus Y^a, \\ \mathbb{E}[z_{e'}^b|\mathbf{X}_i] &= \mathbb{E}[z_{e'}^b|\mathbf{X}_{i-1}] && \text{for all } e' \in R \setminus Y^b. \end{aligned}$$

Our plan of bounding $|D_i|$ is as follows. First we show that $|D_i| \leq 4D_i^a + D_i^b$ in Claim 1, and then we bound D_i^a and D_i^b separately in Claims 2 and 3. The three claims together establish a desired bound on $|D_i|$.

Claim 1. $|D_i| \leq 4D_i^a + D_i^b$.

Proof. We define the following notations.

$$\begin{aligned} P_1 &\stackrel{\text{def}}{=} \{(e, e') : e \in R \setminus Y^b, e' \in Y^a, e \text{ is incident to } e'\} \\ P_2 &\stackrel{\text{def}}{=} \{(e, e') : e \in Y^b, e' \in R_1 \setminus Y^a, e \text{ is incident to } e'\} \\ P_3 &\stackrel{\text{def}}{=} \{(e, e') : e \in Y^b, e' \in Y^a, e \text{ is incident to } e'\} \\ Q_j &\stackrel{\text{def}}{=} - \sum_{(e, e') \in P_j} (\mathbb{E}[z_{e',c^\bullet} \cdot z_e^b|\mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet} \cdot z_e^b|\mathbf{X}_{i-1}]) \quad (\text{for each } j = 1, 2, 3) \\ F_j &\stackrel{\text{def}}{=} \sum_{e \in R} (\mathbb{E}[z_e^j|\mathbf{X}_i] - \mathbb{E}[z_e^j|\mathbf{X}_{i-1}]) \quad (\text{for each } j = a, b) \end{aligned}$$

The definitions of P_1 , P_2 , and P_3 depend on Y^a and Y^b , which depend on the edge e^\star . For instance, if $e^\star \in R$, then $Y^b = R$, which implies that $P_1 = \emptyset$. Recall that the edge e^\star can be any edge in $R \cup R_1 \cup R_2$, and the proof of this claim applies to all choices of $e^\star \in R \cup R_1 \cup R_2$.

⁷Intuitively, if e^\star chooses color c^\bullet , it prevents $w(e^\star)$ edges in R_1 from successfully coloring themselves c^\bullet , but the prior probability of these edges coloring themselves c^\bullet was only $O(1/p)$, hence the total influence on the expectation of z should be $O(w(e^\star)/p)$.

Notice that for any pair $(e \in R, e' \in R_1)$ such that e is incident to e' but $(e, e') \notin P_1 \cup P_2 \cup P_3$, we must have $\mathbb{E}[z_{e',c^\bullet} \cdot z_e^b | \mathbf{X}_i] = \mathbb{E}[z_{e',c^\bullet} \cdot z_e^b | \mathbf{X}_{i-1}]$ due to the definition of Y^a and Y^b . We rewrite the term D_i as follows.

$$\begin{aligned} D_i &= \mathbb{E}[z | \mathbf{X}_i] - \mathbb{E}[z | \mathbf{X}_{i-1}] \\ &= \sum_{e \in R} (\mathbb{E}[z_e | \mathbf{X}_i] - \mathbb{E}[z_e | \mathbf{X}_{i-1}]) \\ &= \sum_{e \in R} \left(\left(\mathbb{E}[z_e^a | \mathbf{X}_i] - \mathbb{E}[z_e^a | \mathbf{X}_{i-1}] \right) + \left(\mathbb{E}[z_e^b | \mathbf{X}_i] - \mathbb{E}[z_e^b | \mathbf{X}_{i-1}] \right) - \left(\mathbb{E}[z_e^a \cdot z_e^b | \mathbf{X}_i] - \mathbb{E}[z_e^a \cdot z_e^b | \mathbf{X}_{i-1}] \right) \right) \end{aligned}$$

(Recall that z_e^a is the summation of z_{e',c^\bullet} over all edges $e' \in R_1$ incident to e .)

$$= F_a + F_b - \sum_{(e,e') : e \in R, e' \in R_1, e' \text{ incident to } e} \left(\mathbb{E}[z_{e',c^\bullet} \cdot z_e^b | \mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet} \cdot z_e^b | \mathbf{X}_{i-1}] \right)$$

(Any pair $(e, e') \notin P_1 \cup P_2 \cup P_3$ contributes zero to this summation.)

$$= F_a + F_b + Q_1 + Q_2 + Q_3.$$

To prove this claim it suffices to show that (i) $|F_a + Q_1| \leq 2D_i^a$, (ii) $|F_b + Q_2| \leq D_i^b$, and (iii) $|Q_3| \leq 2D_i^a$. We expand F_a using the fact that z_e^a is the summation of z_{e',c^\bullet} over all edges $e' \in R_1$ incident to e .

$$|F_a + Q_1| \leq \left| Q_1 + \sum_{(e,e') : e \in R, e' \in R_1, e' \text{ incident to } e} \left(\mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}] \right) \right|$$

Since any pair $(e, e') \notin P_1 \cup P_3$ contributes 0 in the summation,

$$\leq \left| Q_1 + \sum_{(e,e') \in P_1 \cup P_3} \left(\mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}] \right) \right|$$

and by definition of Q_1 ,

$$\begin{aligned} &\leq \sum_{(e,e') \in P_1} \left| \mathbb{E}[z_{e',c^\bullet}(1 - z_e^b) | \mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet}(1 - z_e^b) | \mathbf{X}_{i-1}] \right| \\ &\quad + \sum_{(e,e') \in P_3} \left| \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}] \right| \end{aligned}$$

When $e \notin R \setminus Y^b$, $\mathbb{E}[z_e^b | \mathbf{X}_{i-1}] = \mathbb{E}[z_e^b | \mathbf{X}_i]$, so

$$\begin{aligned} &\leq \sum_{(e,e') \in P_1} (1 - \mathbb{E}[z_e^b | \mathbf{X}_{i-1}]) \left| \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}] \right| \\ &\quad + \sum_{(e,e') \in P_3} \left| \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}] \right| \end{aligned}$$

and since $0 \leq 1 - \mathbb{E}[z_e^b | \mathbf{X}_{i-1}] \leq 1$,

$$\leq \sum_{(e,e') \in P_1 \cup P_3} \left| \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}] \right|$$

Finally, any edge $e' \in R_1$ is incident to at most 2 edges in R , so

$$\begin{aligned} &\leq 2 \sum_{e' \in Y^a} |\mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] - \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}]| \\ &\leq 2D_i^a. \end{aligned}$$

For each $e \in Y^b$, we write $B(e)$ to denote the set of all edges $e' \in R_1 \setminus Y^a$ that are incident to e , i.e., $\{e\} \times B(e) \subseteq P_2$. Notice that $0 \leq \mathbb{E}[\sum_{e' \in B(e)} z_{e',c^\bullet} | \mathbf{X}_{i-1}] = \mathbb{E}[\sum_{e' \in B(e')} z_{e',c^\bullet} | \mathbf{X}_i] \leq 1$, since $e = \{v^\bullet, u\}$ and all edges in $B(e)$ share the vertex u , and so at most one could be successfully colored c^\bullet . By definition, none are incident to e^\star . We can now bound $|F_b + Q_2|$ as follows.

$$|F_b + Q_2| \leq \left| Q_2 + \sum_{e \in Y^b} \mathbb{E}[z_e^b | \mathbf{X}_i] - \mathbb{E}[z_e^b | \mathbf{X}_{i-1}] \right|$$

According to the definition of $B(e)$ and Q_2 ,

$$\leq \sum_{e \in Y^b} \left| \mathbb{E} \left[z_e^b \left(1 - \sum_{e' \in B(e)} z_{e',c^\bullet} \right) \middle| \mathbf{X}_i \right] - \mathbb{E} \left[z_e^b \left(1 - \sum_{e' \in B(e)} z_{e',c^\bullet} \right) \middle| \mathbf{X}_{i-1} \right] \right|$$

For every $e' \in R_1 \setminus Y^a$, we have $\mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] = \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}]$, which implies

$$\begin{aligned} &\leq \sum_{e \in Y^b} \left(1 - \mathbb{E} \left[\sum_{e' \in B(e)} z_{e',c^\bullet} \middle| \mathbf{X}_{i-1} \right] \right) \cdot \left| \mathbb{E}[z_e^b | \mathbf{X}_i] - \mathbb{E}[z_e^b | \mathbf{X}_{i-1}] \right| \\ &\leq \sum_{e \in Y^b} \left| \mathbb{E}[z_e^b | \mathbf{X}_i] - \mathbb{E}[z_e^b | \mathbf{X}_{i-1}] \right| \\ &= D_i^b. \end{aligned}$$

Our last task is to bound the absolute value of Q_3 .

$$\begin{aligned} |Q_3| &\leq \sum_{(e,e') \in P_3} \left(\mathbb{E}[z_{e',c^\bullet} \cdot z_e^b | \mathbf{X}_i] + \mathbb{E}[z_{e',c^\bullet} \cdot z_e^b | \mathbf{X}_{i-1}] \right) \\ &\leq \sum_{(e,e') \in P_3} \left(\mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] + \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}] \right) \end{aligned}$$

Since any edge $e' \in R_1$ is incident to at most 2 edges in R ,

$$\begin{aligned} &\leq 2 \sum_{e' \in Y^a} \left(\mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_i] + \mathbb{E}[z_{e',c^\bullet} | \mathbf{X}_{i-1}] \right) \\ &\leq 2D_i^a. \end{aligned} \quad \square$$

Claim 2. *If $e^\star \in R_2$, then $D_i^a = O(w(e^\star)/p)$. If $e^\star \in R \cup R_1$, then $D_i^a = O(1)$.*

Proof. We first consider the case that $e^\star \in R_2$. In this case $|Y^a| = w(e^\star)$. Recall that $Y^a \subseteq R_1$, and so all $e \in Y^a$ have not yet decided whether to select c^\bullet when X_i is revealed. Therefore, both $\mathbb{E}[z_{e,c^\bullet} | \mathbf{X}_i]$ and $\mathbb{E}[z_{e,c^\bullet} | \mathbf{X}_{i-1}]$ are within the range $[0, 1/p]$, and so $D_i^a = O(w(e^\star)/p)$. Next, consider the case that $e^\star \in R \cup R_1$. All edges in Y^a must share a vertex with e^\star , and so at most two edges in Y^a can successfully color themselves by c^\bullet . Hence

$$D_i^a \leq \sum_{e \in Y^a} \left(\mathbb{E}[z_{e,c^\bullet} | \mathbf{X}_i] + \mathbb{E}[z_{e,c^\bullet} | \mathbf{X}_{i-1}] \right) \leq 2 + 2 = 4 = O(1). \quad \square$$

Claim 3. If $e^* \in R_1 \cup R_2$, then $D_i^b = O(1/p)$. If $e^* \in R$, then $D_i^b = O(1)$.

Proof. Recall that $z_e^b = \sum_{c \in \Psi(e) - \{c^\bullet\}} z_{e,c}$ for any edge $e \in Y^b$, and so

$$D_i^b \leq \sum_{e \in Y^b} \sum_{c \in \Psi(e) - \{c^\bullet\}} |E[z_{e,c} | \mathbf{X}_i] - E[z_{e,c} | \mathbf{X}_{i-1}]|.$$

We first show that $|E[z_{e,c} | \mathbf{X}_i] - E[z_{e,c} | \mathbf{X}_{i-1}]| = O(1/p^2)$ if $e^* \neq e$. We write k_1 (resp., k_2) to denote the number of edges incident to e that have decided to select c^\bullet (resp., have decided to not select c^\bullet) by the time X_i is revealed.

$$E[z_{e,c} | \mathbf{X}_{i-1}] = \begin{cases} 0 & (e \text{ has decided to select } c^\bullet) \\ \frac{1}{p-1} \cdot (1 - 1/p)^{2t-1-k_1-k_2} \cdot (1 - 1/(p-1))^{k_2} & (e \text{ has decided to not select } c^\bullet) \\ \frac{1}{p} \cdot (1 - 1/p)^{2t-1-k_1-k_2} \cdot (1 - 1/(p-1))^{k_2} & (e \text{ has not made any decision}) \end{cases}$$

In any case, $E[z_{e,c} | \mathbf{X}_{i-1}] = O(1/p)$. There are two possibilities of $E[z_{e,c} | \mathbf{X}_i]$ based on X_i , i.e., whether e^* selects c^\bullet .

$$E[z_{e,c} | \mathbf{X}_i] = \begin{cases} E[z_{e,c} | \mathbf{X}_{i-1}] / (1 - 1/p) & (e^* \text{ selects } c^\bullet) \\ E[z_{e,c} | \mathbf{X}_{i-1}] \cdot (1 - 1/(p-1)) / (1 - 1/p) & (e^* \text{ does not select } c^\bullet) \end{cases}$$

In any case, $|E[z_{e,c} | \mathbf{X}_i] - E[z_{e,c} | \mathbf{X}_{i-1}]| = O(1/p^2)$. We are now in a position to bound D_i^b . For the case that $e^* \in R_1 \cup R_2$, we have $|Y^b| \leq 2$ and $e^* \notin Y^b$, and so $D_i^b \leq 2 \cdot (p-1) \cdot O(1/p^2) = O(1/p)$. For the case that $e^* \in R$, we have $|Y^b| = |R| = t$ and $e^* \in Y^b$, and so $D_i^b \leq 1 + (t-1) \cdot (p-1) \cdot O(1/p^2) = O(1)$. \square

Revealing the Color Selected by an Edge in $R \cup R'$. Next, we analyze the effect of exposing the value of X_i , where $\alpha < i \leq \alpha + \beta$, given that all variables in \mathbf{X}_{i-1} have been fixed.

Observe that z_e^a , for all $e \in R$, are already determined by $\{X_j : j \in [\alpha]\}$. If $z_e^a = 1$, then $z_e = 1$ regardless of the value of z_e^b ; if $z_e^a = 0$, then $z_e = z_e^b$. For those edges $e \in R$ such that z_e is not determined by $\{X_j : j \in [\alpha]\}$, the random variable $z_e = z_e^b$ behaves the same as z_e in the analysis of concentration of vertex degree, so the analysis in Appendix A.1 can be applied here (think of $S = R$ and $S' = R'$).

In more detail, for each edge $e' \in R'$, we define $w'(e')$ as $\sum_{e \in R, e' \text{ incident to } e} |\Psi(e') \cap \Psi(e) - \{c^\bullet\}|$. We have $\sum_{e' \in R'} w'(e') \leq |R|(p-1)(t-1) < pt^2$. Now consider the color $X_i = \text{Color}^*(e^*)$ selected by the edge $e^* \in R \cup R'$. From the analysis in Appendix A.1, we infer the following.

- If $e^* \in R'$, then $|D_i| = O(1)$ and $\text{Var}[D_i | \mathbf{X}_{i-1}] = O(w'(e^*)/(pt))$. Hence we can set $\sigma_i^2 = O(w'(e^*)/(pt))$.
- If $e^* \in R$, then $|D_i| = O(1)$ and $\text{Var}[D_i | \mathbf{X}_{i-1}] = O(1)$. Hence we can set $\sigma_i^2 = O(1)$.

Thus, $\sum_{j=\alpha+1}^{\alpha+\beta} \sigma_i^2 = O(t)$, as desired.